NATIONAL CATALOGUE

Central Canada as of August 2018
Updates as of: March 2019

INCLUDES NEW BELLARA™ METAL SIDING

vicwest
BUILDING PRODUCTS

AGRICULTURAL. COMMERCIAL. RESIDENTIAL.

BURLINGTON, ON: 1-800-387-7135 • STRATFORD, ON: 1-800-265-8610

BUILDING FOR TOMORROW

INDEX

ITEM **Page #**

AGRICULTURAL

7/8" Corrugated 5
Barnmaster 4
Channel Wall 11
CL4012 9
CL508 12
CL7015-R 13
CL815-R 14
Diamond Rib Central 10
Double M 7
DR 36 2
Grand Rib 8
SuperVic 3
UltraVic 1
Victoria 6

COMMERCIAL

7/8" Corrugated 3
AD Series Wall Panels 13
Bellara 14
CL3035 6
CL3100 11
CL400 12
CL435 7
CL5022R 8
CL6025/CL6025R 1
CL622R 9
CL7040 4
CL725/CL725R 2
CL840 5
L800R 10
Marquis 16
Tradition 100 15
Tradition 150 15
TSR 16

ITEM **Page #**

RESIDENTIAL

Bellara 14
Elite 3
Granite Ridge ..... 10 - 13
Prestige ..... 4 - 5
Soffit 15
Summerside ..... 6 - 9
SuperVic 2
UltraVic 1
Warranty Registration 16

INSULATED PANELS

All Weather Insulated Roof Panels

HR Series - HR3 & HR5 Panels 3
SR2 - Standing Seam 3

All Weather Insulated Wall Panels

DM40 - Mesa Wall Panels 1
FL40 - Flat Wall Panels 2
HE40 - Heavy Embossed Wall Panels 2
RD5 - Roof Deck 4
ST40 - Striated Wall Panels 1

DECKING

CL306 3
CL938 2
FD938 1
HB306 3
HB938 1
RD306 3
RD938 1

INDEX

ITEM **Page #**

TRIMS

Bellara ..... 10 - 11
Commercial Notched Sub-Girts 17
Commercial Sub-Girts 16
Custom Trim Girth Chart 18
Flat Sheets 19
Standard Trims Central ..... 1 - 9
Standard Trims "C" Series ..... 12 - 15

ACCESSORIES

Accessories 3
Fasteners ..... 1 - 2
Closures 4
Commercial Closures 6
Roll Vent 7
Snow Restraint Systems 8
Tools 10
Vented Closures 5
Ventilators 9

POLYCARBONATES & PLASTICS

AgTuf Interior Liner Panels 5
Muralex 12" & 16" PVC Interlocking
Liner Panels 6
Palight Trimboard 7
Palruf Corrugated PVC Sheets 3
Plasti-Lam Laminated Panels 8
Plasti-Vic 8
PVC Trims & Mouldings 9
Sunsky Polycarbonate Panels 4
Suntop Polycarbonate Sheets 2
Suntuf Corrugated Polycarbonate Sheets 1

ITEM **Page #**

TRACKS, DOORS & ACCESSORIES

Model 650 Roll Up Doors 1
Model 1950 & 2000 Roll Up Doors ..... 2 - 3
Track and Accessories ..... 4 - 12

STEEL STUD & ACCESSORIES

Drywall Corner Bead & Trims 3
Drywall Framing & Fasteners 4
Light Gauge Framing 2
Suspended Ceiling System 5
U-Flex Track 1

Table of Contents

ITEM **Page Number**

7/8" Corrugated 5
Barnmaster 4
Channel Wall 11
CL4012 9
CL508 12
CL7015-R 13
CL815-R 14
Diamond Rib Central 10
Double M 7
DR 36 2
Grand Rib 8
SuperVic 3
UltraVic 1
Victoria 6

ULTRAVIC
36" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Slope Roof	3:12
Maximum Span	24" on centre
Panel Coverage	36" (914.5mm)



Manufacturing Location(s):					
Edmonton, AB	4.6' Min/39' Max	Victoriaville, QC	4' Min/40' Max	Kensington, PEI	3' Min/35' Max
Saskatoon, SK	3' Min/39' Max	Stratford, ON	3' Min/36' Max		

AVAILABILITY BY REGION

VW#	Colour	29	28	26
Polyester Finishes (Interior Application)				
5712	Liner White	E,C		
Weather XL Finishes				
56162	Antique Linen			
56087	Bamboo Ivory		C, W	
56068	Black		N	
56069	Bone White		N	
56080	Bright Red		N	
56086	Bright White		N	
57319	Burgundy		C	
56160	Cabec Green			
56161	Cambridge White			
56072	Charcoal		N	
56077	Cocoa Brown		N	
56472	Cordovan			
56088	Dark Blue			
56062	Dark Brown		N	
56073	Dark Green		N	
56064	Dark Red		N	
56083	Deep Water Green			
56070	Gold			
56078	Green		N	
55090	Greyberry			
56079	Heron Blue		N	
56090	Ivory			
56155	Light Blue			
56154	Metro Brown		C, W	
56065	Mist Green			
56084	Navy Blue			
56158	Oak Brown			
56063	Orange			

VW#	Colour	29	28	26
56156	Pacific Turquoise			
55051	Pebble Khaki			
56082	Regent Grey		N	
56081	Royale Blue		N	
56089	Sage Green			
56163	Sapphire Blue			
56067	Slate Blue		N	
56085	Spruce Green			
56071	Stone Grey		N	
56074	Tan		N	
56066	Tile Red		N	
56157	Turquoise			
56515	Twilight Blue			
56076	White White		N	
Matte Finishes				
10280	Currant Matte		E,C	
9822	Ebony Matte		N	
10276	Espresso Matte		E,C	
10275	Evergreen Matte*		E,C	
9821	Graphite Matte		N	
Polyurethane Finishes				
7500	Silver Polyurethane			
Metallic Finishes				
2624	Bright Silver			
3234	Copper			
Natural Finishes				
AZ150	Galvalume Plus		N	
AZ180	Galvalume Plus			
Z275	Galvanized		N	
ZF001	Galvanneal			
SS	Stainless Steel			

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

DR 36
36" Coverage

PRODUCT OVERVIEW:	
Application	Wall This profile is reversible
Panel Coverage	36" (915 mm)

Manufacturing Location(s):	
Stratford, ON	3' Min/36' Max



AVAILABILITY BY REGION

VW#	Colour	29	28	26
Polyester Finishes (Interior Application)				
5712	Liner White			
Weather XL Finishes				
56162	Antique Linen			
56087	Bamboo Ivory			
56068	Black			
56069	Bone White		C	
56080	Bright Red		C	
56086	Bright White		C	
57319	Burgundy			
56160	Cabec Green			
56161	Cambridge White			
56072	Charcoal		C	
56077	Cocoa Brown		C	
56472	Cordovan			
56088	Dark Blue			
56062	Dark Brown			
56073	Dark Green		C	
56064	Dark Red		C	
56083	Deep Water Green			
56070	Gold			
56078	Green			
55090	Greyberry			
56079	Heron Blue			
56090	Ivory			
56155	Light Blue			
56154	Metro Brown			
56065	Mist Green			
56084	Navy Blue			
56158	Oak Brown			
56063	Orange			

VW#	Colour	29	28	26
56156	Pacific Turquoise			
55051	Pebble Khaki		C	
56082	Regent Grey		C	
56081	Royale Blue			
56089	Sage Green			
56163	Sapphire Blue			
56067	Slate Blue		C	
56085	Spruce Green			
56071	Stone Grey		C	
56074	Tan		C	
56066	Tile Red		C	
56157	Turquoise			
56515	Twilight Blue			
56076	White White		C	
Matte Finishes				
10280	Currant Matte			
9822	Ebony Matte			
10276	Espresso Matte			
10275	Evergreen Matte*			
9821	Graphite Matte			
Polyurethane Finishes				
7500	Silver Polyurethane			
Metallic Finishes				
2624	Bright Silver			
3234	Copper			
Natural Finishes				
AZ150	Galvalume Plus		C	
AZ180	Galvalume Plus			
Z275	Galvanized			
ZF001	Galvanneal			
SS	Stainless Steel			

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

SUPERVIC
30" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Slope Roof	4:12
Maximum Span	24" on centre
Panel Coverage	30" (76.2 cm)

Manufacturing Location(s):	
Victoriaville, QC	4' Min/35' Max
Stratford, ON	3' Min/36' Max
Kensington, PEI	3' Min/35' Max



AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E,C	E		E,C	E,C
Weather XL finishes						
56162	Antique Linen					
56087	Bamboo Ivory			C		
56068	Black	E		E,C	E, C	
56069	Bone White			E,C	E,C	
56080	Bright Red	E		E,C	E,C	
56086	Bright White	E		E,C		
57319	Burgundy			E		
56160	Cabec Green			E,C		
56161	Cambridge White					
56072	Charcoal	E		E,C	E,C	
56077	Cocoa Brown			E,C		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E,C	E,C	
56073	Dark Green	E		E,C	E,C	
56064	Dark Red			E,C		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E,C	E,C	
55090	Greyberry			E,C		
56079	Heron Blue			E,C	E,C	
56090	Ivory			E,C		
56155	Light Blue					
56154	Metro Brown				E,C	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E,C		
56063	Orange			E,C		

VW#	Colour	30	29	28	26	24
56156	Pacific Turquoise			E,C		
55051	Pebble Khaki			E,C		
56082	Regent Grey			E,C	E,C	
56081	Royale Blue			E,C	E,C	
56089	Sage Green			C		
56163	Sapphire Blue					
56067	Slate Blue			E,C		
56085	Spruce Green				E	
56071	Stone Grey			E,C	E,C	
56074	Tan			E,C	E	
56066	Tile Red			E,C		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E,C	E,C	E,C
Matte Finishes						
9822	Ebony Matte			E,C		
10276	Espresso Matte			E,C		
9821	Graphite Matte			E,C		
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White					C
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E,C		E,C	E,C	
AZ180	Galvalume Plus					
Z275	Galvanized	E,C		E,C	E,C	E,C
ZF001	Galvanneal			C		
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

BARNMASTER
32" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Slope Roof	4:12
Maximum Span	16" on centre
Panel Coverage	32" (81.30 cm)

Manufacturing Location(s):	
Stratford, ON	3' Min/32' Max



AVAILABILITY BY REGION

VW#	Colour	30	28	26	24
Polyester Finishes (Interior Application)					
5712	Liner White	C		C	C
Weather XL finishes					
56162	Antique Linen				
56087	Bamboo Ivory		C		
56068	Black		C	C	
56069	Bone White		C	C	
56080	Bright Red		C	C	
56086	Bright White		C		
57319	Burgundy				
56160	Cabec Green		C		
56161	Cambridge White				
56072	Charcoal		C	C	
56077	Cocoa Brown		C		
56472	Cordovan				
56088	Dark Blue				
56062	Dark Brown		C	C	
56073	Dark Green		C	C	
56064	Dark Red		C		
56083	Deep Water Green				
56070	Gold				
56078	Green		C	C	
55090	Greyberry		C		
56079	Heron Blue		C	C	
56090	Ivory		C		
56155	Light Blue				
56154	Metro Brown			C	
56065	Mist Green			C	
56084	Navy Blue				
56158	Oak Brown		C		

VW#	Colour	30	28	26	24
56063	Orange		C		
56156	Pacific Turquoise		C		
55051	Pebble Khaki		C		
56082	Regent Grey		C	C	
56081	Royale Blue		C	C	
56089	Sage Green		C		
56163	Sapphire Blue				
56067	Slate Blue		C		
56085	Spruce Green				
56071	Stone Grey		C	C	
56074	Tan		C		
56066	Tile Red		C		
56157	Turquoise				
56515	Twilight Blue				
56076	White White		C	C	C
Matte Finishes					
9822	Ebony Matte		C		
10276	Espresso Matte		C		
9821	Graphite Matte		C		
Polyurethane Finishes					
7500	Silver Polyurethane				
Metallic Finishes					
2624	Bright Silver				
3234	Copper				
Natural Finishes					
AZ150	Galvalume Plus	C	C	C	
AZ180	Galvalume Plus				
Z275	Galvanized	C	C	C	C
ZF001	Galvanneal				
SS	Stainless Steel				

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

7/8" Corrugated
26.66" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Roof Slope	4:12
Panel Coverage	26.66" (68 cm)
Note: 34.58" also available, see page 3 in Commercial Section	

Manufacturing Location(s):	
Victoriaville QC	4' Min/44' Max
Edmonton, AB	4' Min/40' Max



AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E	E		W,E	W,E
Weather XL Finishes						
56162	Antique Linen					
56087	Bamboo Ivory					
56068	Black	E		W,E	W,E	
56069	Bone White			W,E	W,E	
56080	Bright Red	E		W,E	W,E	
56086	Bright White	E		W,E		
57319	Burgundy			E		
56160	Cabec Green			W,E		
56161	Cambridge White					
56072	Charcoal	E		W,E	W,E	
56077	Cocoa Brown			W,E		
56062	Dark Brown	E		W,E	W,E	
56073	Dark Green	E		W,E	W,E	
56064	Dark Red			W,E		
56083	Deep Water Green			W,E		
56070	Gold			E		
56078	Green			W,E	W,E	
55090	Greyberry			E		
56079	Heron Blue			W,E	W,E	
56090	Ivory	E		W,E		
56155	Light Blue					
56154	Metro Brown				W,E	W
56065	Mist Green				W,E	
56084	Navy Blue					E
56158	Oak Brown			W,E		
56063	Orange			W,E		
56156	Pacific Turquoise			W,E		

VW#	Colour	30	29	28	26	24
55051	Pebble Khaki			E		
56082	Regent Grey			W,E	W,E	
56081	Royale Blue			W,E	W,E	
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue			W,E		
56085	Spruce Green				E	
56071	Stone Grey			W,E	W,E	
56074	Tan			W,E	W,E	
56066	Tile Red			W,E		
56157	Turquoise				W,E	
56515	Twilight Blue					
56076	White White	E		W,E	W,E	W,E
Matte Finishes						
9822	Ebony Matte			E		
10276	Espresso Matte			E		
9821	Graphite Matte			E		
Polyurethane Finishes						
7500	Silver Polyester Finish					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E		W,E	W,E	
AZ180	Galvalume Plus					
Z275	Galvanized	E		W,E	W,E	W,E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

VICTORIA
32" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Slope Roof	4:12
Maximum Span	16" on centre
Panel Coverage	32" (81.30 cm)

Manufacturing Location(s):	
Victoriaville, QC	4' Min/32' Max
Kensington, PEI	3' Min/ 35' Max



AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E	E		E	E
Weather XL finishes						
56162	Antique Linen					
56087	Bamboo Ivory					
56068	Black	E		E	E	
56069	Bone White			E	E	
56080	Bright Red	E		E	E	
56086	Bright White	E		E		
57319	Burgundy			E		
56160	Cabec Green			E		
56161	Cambridge White					
56072	Charcoal	E		E	E	
56077	Cocoa Brown			E		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E	E	
56073	Dark Green	E		E	E	
56064	Dark Red			E		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E	E	
55090	Greyberry			E		
56079	Heron Blue			E	E	
56090	Ivory			E		
56155	Light Blue					
56154	Metro Brown				E	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E		

VW#	Colour	30	29	28	26	24
56063	Orange			E		
56156	Pacific Turquoise			E		
55051	Pebble Khaki			E		
56082	Regent Grey			E	E	
56081	Royale Blue			E	E	
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue			E		
56085	Spruce Green				E	
56071	Stone Grey			E	E	
56074	Tan			E	E	
56066	Tile Red			E		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E	E	E
Matte Finishes						
9822	Ebony Matte			E		
10276	Espresso Matte			E		
9821	Graphite Matte			E		
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E		E	E	
AZ180	Galvalume Plus					
Z275	Galvanized	E		E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

NOTE: Butyl tape 1/6 x 1/4 required in side lap.

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

DOUBLE M
31" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Slope Roof	4:12
Maximum Span	16" on centre
Panel Coverage	31" (78.7 cm)

Manufacturing Location(s):	
Victoriaville, QC	4' Min/35' Max



AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E	E		E	E
Weather XL Finishes						
56162	Antique Linen					
56087	Bamboo Ivory					
56068	Black	E		E	E	
56069	Bone White			E	E	
56080	Bright Red	E		E	E	
56086	Bright White	E		E		
57319	Burgundy			E		
56160	Cabec Green			E		
56161	Cambridge White					
56072	Charcoal	E		E	E	
56077	Cocoa Brown			E		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E	E	
56073	Dark Green	E		E	E	
56064	Dark Red			E		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E	E	
55090	Greyberry			E		
56079	Heron Blue			E	E	
56090	Ivory			E		
56155	Light Blue					
56154	Metro Brown				E	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E		

VW#	Colour	30	29	28	26	24
56063	Orange			E		
56156	Pacific Turquoise			E		
55051	Pebble Khaki			E		
56082	Regent Grey			E	E	
56081	Royale Blue			E	E	
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue			E		
56085	Spruce Green				E	
56071	Stone Grey			E	E	
56074	Tan			E	E	
56066	Tile Red			E		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E	E	E
Matte Finishes						
9822	Ebony Matte			E		
10276	Espresso Matte			E		
9821	Graphite Matte			E		
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E		E	E	
AZ180	Galvalume Plus					
Z275	Galvanized	E		E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

GRAND RIB
30" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Reversed is	CL4012
Minimum Slope Roof	3:12
Maximum Span	24" on centre
Panel Coverage	30" (76.2 cm)

Manufacturing Location(s):
Victoriaville, QC 4' Min/32' Max



AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E	E		E	E
Weather XL Finishes						
56162	Antique Linen					
56087	Bamboo Ivory					
56068	Black	E		E	E	
56069	Bone White			E	E	
56080	Bright Red	E		E	E	
56086	Bright White	E		E		
57319	Burgundy			E		
56160	Cabec Green			E		
56161	Cambridge White					
56072	Charcoal	E		E	E	
56077	Cocoa Brown			E		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E	E	
56073	Dark Green	E		E	E	
56064	Dark Red			E		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E	E	
55090	Greyberry			E		
56079	Heron Blue			E	E	
56090	Ivory			E		
56155	Light Blue					
56154	Metro Brown				E	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E		

VW#	Colour	30	29	28	26	24
56063	Orange			E		
56156	Pacific Turquoise			E		
55051	Pebble Khaki			E		
56082	Regent Grey			E	E	
56081	Royale Blue			E	E	
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue			E		
56085	Spruce Green				E	
56071	Stone Grey			E	E	
56074	Tan			E	E	
56066	Tile Red			E		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E	E	E
Matte Finishes						
9822	Ebony Matte			E		
10276	Espresso Matte			E		
9821	Graphite Matte			E		
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E		E	E	
AZ180	Galvalume Plus					
Z275	Galvanized	E		E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL4012
30" Coverage

PRODUCT OVERVIEW:	
Application	Wall
Reversed is	Grand Rib
Panel Coverage	30" (76.2 cm)

Manufacturing Location(s):
Victoriaville, QC 4' Min/30' Max



AVAILABILITY BY REGION

VW #	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E	E		E	E
Weather XL finishes						
56162	Antique Linen					
56087	Bamboo Ivory					
56068	Black	E		E	E	
56069	Bone White			E	E	
56080	Bright Red	E		E	E	
56086	Bright White	E		E		
57319	Burgundy			E		
56160	Cabec Green			E		
56161	Cambridge White					
56072	Charcoal	E		E	E	
56077	Cocoa Brown			E		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E	E	
56073	Dark Green	E		E	E	
56064	Dark Red			E		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E	E	
55090	Greyberry			E		
56079	Heron Blue			E	E	
56090	Ivory			E		
56155	Light Blue					
56154	Metro Brown				E	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E		

VW #	Colour	30	29	28	26	24
56063	Orange			E		
56156	Pacific Turquoise			E		
55051	Pebble Khaki			E		
56082	Regent Grey			E	E	
56081	Royale Blue			E	E	
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue			E		
56085	Spruce Green				E	
56071	Stone Grey			E	E	
56074	Tan			E	E	
56066	Tile Red			E		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E	E	
Matte Finishes						
9822	Ebony Matte			E		
10276	Espresso Matte			E		
9821	Graphite Matte			E		
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E		E	E	
AZ180	Galvalume Plus					
Z275	Galvanized	E		E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

DIAMOND RIB CENTRAL

30" Coverage

PRODUCT OVERVIEW:	
Application	Wall This profile is reversible
Panel Coverage	30" (76.2 cm)

Manufacturing Location(s):	
Stratford, ON	3' Min/36' Max



AVAILABILITY BY REGION

VW#	Colour	30	28	26	24
Polyester Finishes (Interior Application					
5712	Liner White	C		C	C
Weather XL Finishes					
56162	Antique Linen				
56087	Bamboo Ivory		C		
56068	Black		C	C	
56069	Bone White		C	C	
56080	Bright Red		C	C	
56086	Bright White		C		
57319	Burgundy				
56160	Cabec Green		C		
56161	Cambridge White				
56072	Charcoal		C	C	
56077	Cocoa Brown		C		
56472	Cordovan				
56088	Dark Blue				
56062	Dark Brown		C	C	
56073	Dark Green		C	C	
56064	Dark Red		C		
56083	Deep Water Green				
56070	Gold				
56078	Green		C	C	
55090	Greyberry		C		
56079	Heron Blue		C	C	
56090	Ivory		C		
56155	Light Blue				
56154	Metro Brown			C	
56065	Mist Green			C	
56084	Navy Blue				
56158	Oak Brown		C		

VW#	Colour	30	28	26	24
56063	Orange		C		
56156	Pacific Turquoise		C		
55051	Pebble Khaki		C		
56082	Regent Grey		C	C	
56081	Royale Blue		C	C	
56089	Sage Green		C		
56163	Sapphire Blue				
56067	Slate Blue		C		
56085	Spruce Green				
56071	Stone Grey		C	C	
56074	Tan		C	C	
56066	Tile Red		C		
56157	Turquoise				
56515	Twilight Blue				
56076	White White		C	C	C
Matte Finishes					
9822	Ebony Matte		C		
10276	Espresso Matte		C		
9821	Graphite Matte		C		
Polyurethane Finishes					
7500	Silver Polyurethane				
Metallic Finishes					
2624	Bright Silver				
3234	Copper				
Natural Finishes					
AZ150	Galvalume Plus	C	C	C	
AZ180	Galvalume Plus				
Z275	Galvanized	C	C	C	C
ZF001	Galvanneal				
SS	Stainless Steel				

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CHANNEL WALL

32" Coverage

PRODUCT OVERVIEW:	
Application **Reserved is**	Wall CL508
Panel Coverage	32" (81.30 cm)

Manufacturing Location(s):	
Stratford, ON	3' Min/36' Max
Victoriaville, CQ	4' Min/35' Max



AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E,C	E		E,C	E,C
Weather XL Finishes						
56162	Antique Linen					
56087	Bamboo Ivory			C		
56068	Black	E		E,C	E,C	
56069	Bone White			E,C	E,C	
56080	Bright Red	E		E,C	E,C	
56086	Bright White	E		E,C		
57319	Burgundy			E		
56160	Cabec Green			E,C		
56161	Cambridge White					
56072	Charcoal	E		E,C	E,C	
56077	Cocoa Brown			E,C		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E,C	E,C	
56073	Dark Green	E		E,C	E,C	
56064	Dark Red			E,C		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E,C	E,C	
55090	Greyberry			E,C		
56079	Heron Blue			E,C	E,C	
56090	Ivory			E,C		
56155	Light Blue					
56154	Metro Brown				E,C	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E,C		

VW#	Colour	30	29	28	26	24
56063	Orange			E,C		
56156	Pacific Turquoise			E		
55051	Pebble Khaki			E,C		
56082	Regent Grey			E,C	E,C	
56081	Royale Blue			E,C	E,C	
56089	Sage Green			C		
56163	Sapphire Blue					
56067	Slate Blue			E,C		
56085	Spruce Green				E	
56071	Stone Grey			E,C	E,C	
56074	Tan			E,C	E	
56066	Tile Red			E,C		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E,C	E,C	C
Matte Finishes						
9822	Ebony Matte			E,C		
10276	Espresso Matte			E,C		
9821	Graphite Matte			E,C		
Polyurethane Finishes						
2587	Poly White					
7500	Silver Polyurethane					
Natural Finishes						
AZ150	Galvalume Plus	E,C		E,C	E,C	
AZ180	Galvalume Plus					
Z275	Galvanized	E,C		E,C	E,C	E, C
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL508
32" Coverage

PRODUCT OVERVIEW:	
Application **Reversed is**	Wall Channel Wall
Panel Coverage	32" (81.30 cm)

Manufacturing Location(s):	
Stratford, ON	3' Min/36' Max
Victoriaville, CQ	4' Min/35' Max



AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E,C	E		E,C	E,C
Weather XL Finishes						
56162	Antique Linen					
56087	Bamboo Ivory			C		
56068	Black	E		E,C	E,C	
56069	Bone White			E,C	E,C	
56080	Bright Red	E		E,C	E,C	
56086	Bright White	E		E,C		
57319	Burgundy			E		
56160	Cabec Green			E,C		
56161	Cambridge White					
56072	Charcoal	E		E,C	E,C	
56077	Cocoa Brown			E,C		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E,C	E,C	
56073	Dark Green	E		E,C	E,C	
56064	Dark Red			E,C		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E,C	E,C	
55090	Greyberry			E,C		
56079	Heron Blue			E,C	E,C	
56090	Ivory			E,C		
56155	Light Blue					
56154	Metro Brown				E,C	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E,C		
56063	Orange			E,C		

VW#	Colour	30	29	28	26	24
56156	Pacific Turquoise			E		
55051	Pebble Khaki			E,C		
56082	Regent Grey			E,C	E,C	
56081	Royale Blue			E,C	E,C	
56089	Sage Green			C		
56163	Sapphire Blue					
56067	Slate Blue			E,C		
56085	Spruce Green				E	
56071	Stone Grey			E,C	E,C	
56074	Tan			E,C	E	
56066	Tile Red			E,C		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E,C	E,C	E,C
Matte Finishes						
9822	Ebony Matte			E,C		
9821	Graphite Matte			E,C		
10276	Espresso Matte			E,C		
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E,C		E,C	E,C	
AZ180	Galvalume Plus					
Z275	Galvanized	E,C		E,C	E,C	E,C
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL7015-R
29 3/4" Coverage

PRODUCT OVERVIEW:	
Application **Reversed is**	Wall CL815R
Panel Coverage	29 3/4" (75.5 cm)

Manufacturing Location(s):	
Victoriaville, QC	4' Min/32' Max



AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E	E		E	E
Weather XL Finishes						
56162	Antique Linen					
56087	Bamboo Ivory					
56068	Black	E		E	E	
56069	Bone White			E	E	
56080	Bright Red	E		E	E	
56086	Bright White	E		E		
57319	Burgundy			E		
56160	Cabec Green			E		
56161	Cambridge White					
56072	Charcoal	E		E	E	
56077	Cocoa Brown			E		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E	E	
56073	Dark Green	E		E	E	
56064	Dark Red			E		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E	E	
55090	Greyberry			E		
56079	Heron Blue			E	E	
56090	Ivory			E		
56155	Light Blue					
56154	Metro Brown				E	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E		
56063	Orange			E		

VW#	Colour	30	29	28	26	24
56156	Pacific Turquoise			E		
55051	Pebble Khaki			E		
56082	Regent Grey			E	E	
56081	Royale Blue			E	E	
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue			E		
56085	Spruce Green				E	
56071	Stone Grey			E	E	
56074	Tan			E	E	
56066	Tile Red			E		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E	E	E
Matte Finishes						
9822	Ebony Matte			E		
10276	Espresso Matte			E		
9821	Graphite Matte			E		
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White					
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E		E	E	
AZ180	Galvalume Plus					
Z275	Galvanized	E		E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL815-R
29 3/4" Coverage

PRODUCT OVERVIEW:	
Application	Wall
Reversed is	CL7015-R
Panel Coverage	29 3/4" (75.5 cm)



Manufacturing Location(s):
Victoriaville, QC 4' Min/32' Max

AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E	E		E	E
Weather XL Finishes						
56162	Antique Linen					
56087	Bamboo Ivory					
56068	Black	E		E	E	
56069	Bone White			E	E	
56080	Bright Red	E		E	E	
56086	Bright White	E		E		
57319	Burgundy			E		
56160	Cabec Green			E		
56161	Cambridge White					
56072	Charcoal	E		E	E	
56077	Cocoa Brown			E		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E	E	
56073	Dark Green	E		E	E	
56064	Dark Red			E		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E	E	
55090	Greyberry			E		
56079	Heron Blue			E	E	
56090	Ivory			E		
56155	Light Blue					
56154	Metro Brown				E	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E		

VW#	Colour	30	29	28	26	24
56063	Orange			E		
56156	Pacific Turquoise			E		
55051	Pebble Khaki			E		
56082	Regent Grey			E	E	
56081	Royale Blue			E	E	
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue			E		
56085	Spruce Green				E	
56071	Stone Grey			E	E	
56074	Tan			E	E	
56066	Tile Red			E		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E	E	E
Matte Finishes						
9822	Ebony Matte			E		
10276	Espresso Matte			E		
9821	Graphite Matte			E		
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E		E	E	
AZ180	Galvalume Plus					
Z275	Galvanized	E		E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

Table of Contents

ITEM	Page Number
7/8" Corrugated	3
AD Series Wall Panels	13
Bellara	14
CL3035	6
CL3100	11
CL400	12
CL435	7
CL5022R	8
CL6025/CL6025R	1
CL622R	9
CL7040	4
CL725/CL725R	2
CL840	5
L800R	10
Marquis	16
Tradition 100	15
Tradition 150	15
TSR	16

CL6025/CL6025R

35 7/16" Coverage

PRODUCT OVERVIEW:	
Application	Wall
Reversed is	CL725
Panel Coverage	35 7/16" (90 cm)
Available with or without ribs (picture shown without ribs)	

Manufacturing Location(s):	
Victoriaville, QC	4' Min/44' Max
Stratford, ON	4' Min/40' Max



AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18
Weather XL Finishes						
56162	Antique Linen	C,E				
56087	Bamboo Ivory					
56068	Black	C,E	C,E			
56069	Bone White	E	C,E	C,E		
56080	Bright Red	E				
56086	Bright White					
56160	Cabec Green					
56161	Cambridge White	C,E				
56072	Charcoal	C,E	C,E			
56077	Cocoa Brown					
56088	Dark Blue					
56062	Dark Brown	C,E	C,E	C,E		
56073	Dark Green	C,E				
56064	Dark Red					
55174	Deep Grey		E			
56083	Deep Water Green		E			
56070	Gold	E	C,E			
56078	Green		E			
55090	Greyberry					
56079	Heron Blue	E				
56090	Ivory	E				
56155	Light Blue					
56154	Metro Brown	C,E	C,E			
56065	Mist Green					
56084	Navy Blue		E			
56158	Oak Brown					
56063	Orange					
56156	Pacific Turquoise		E			
55051	Pebble Khaki					
56082	Regent Grey	C,E				

VW#	Colour	26	24	22	20	18
56081	Royale Blue	C,E				
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue	C,E	C,E			
56085	Spruce Green					
56071	Stone Grey	C,E	C,E	C,E		
56074	Tan	C,E	E	C,E		
56066	Tile Red	E				
56157	Turquoise					
56515	Twilight Blue					
56076	White White	C,E	C,E	C,E		
Expressence Finishes						
18-9875	Dark Cedar		E			
18-1028	Natural Zinc		E			
18-9874	Weathered Cedar		E			
18-9970	Weathered Steel		E			
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White			E		
Polyurethane Finishes						
7500	Silver Polyester Finish	E				
Metallic Finishes						
2624	Bright Silver	C,E	C,E	C,E		
9740	Carbon		E			
3234	Copper		E			
2897	Light Pewter		E			
Natural Finishes						
AZ150	Galvalume Plus	C,E				
AZ180	Galvalume Plus		C,E	C,E		
Z275	Galvanized	C,E	C,E	C,E	C,E	E
ZF001	Galvaneel			C	C	C
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL725/CL725R

35 7/16" Coverage

PRODUCT OVERVIEW:	
Application Reversed	Roof or Wall CL6025
Minimum Roof Slope	3:12
Panel Coverage	35 7/16" (90 cm)
Available with or without ribs (picture shown without ribs)	

Manufacturing Location(s):	
Victoriaville, QC	4' Min/44' Max
Stratford, ON	4' Min/40' Max



AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18
Weather XL Finishes						
56162	Antique Linen	C,E				
56087	Bamboo Ivory					
56068	Black	C,E	C,E			
56069	Bone White	E	C,E	C,E		
56080	Bright Red	E				
56086	Bright White					
56161	Cambridge White	C,E				
56072	Charcoal	C,E	C,E			
56062	Dark Brown	C,E	C,E	C,E		
56073	Dark Green	C,E				
56064	Dark Red					
55174	Deep Grey		E			
56083	Deep Water Green		E			
56070	Gold	E	C,E			
56078	Green		E			
55090	Greyberry					
56079	Heron Blue	E				
56090	Ivory	E				
56155	Light Blue					
56154	Metro Brown	C,E	C,E			
56065	Mist Green					
56084	Navy Blue		E			
56158	Oak Brown					
56063	Orange					
56156	Pacific Turquoise		E			
55051	Pebble Khaki					
56082	Regent Grey	C,E				
56081	Royale Blue	C,E				
56089	Sage Green					

VW#	Colour	26	24	22	20	18
56163	Sapphire Blue					
56067	Slate Blue	C,E	C,E			
56085	Spruce Green					
56071	Stone Grey	C,E	C,E	C,E		
56074	Tan	C,E	E	C,E		
56066	Tile Red	E				
56157	Turquoise					
56515	Twilight Blue					
56076	White White	C,E	C,E	C,E		
Expressence Finishes						
18-9875	Dark Cedar		E			
18-1028	Natural Zinc		E			
18-9874	Weathered Cedar		E			
18-9970	Weathered Steel		E			
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White			E		
Polyurethane Finishes						
7500	Silver Polyester Finish	E				
Metallic Finishes						
2624	Bright Silver	C,E	C,E	C,E		
3234	Copper		E			
9740	Carbon		E			
2897	Light Pewter		E			
Natural Finishes						
AZ150	Galvalume Plus	C,E				
AZ180	Galvalume Plus		C,E	C,E		
Z275	Galvanized	C,E	C,E	C,E	C,E	E
ZF001	Galvanneal			C	C	C
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

7/8" Corrugated

34.58" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Roof Slope	4:12
Panel Coverage	34.58" (88 cm)

Manufacturing Location(s):	
Victoriaville QC	4' Min/44' Max
Edmonton, AB	4' Min/44' Max



AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18	16
Weather XL Finishes							
56162	Antique Linen	W,E					
56087	Bamboo Ivory						
56068	Black	W,E	E				
56069	Bone White	W,E	E	W,E			
56080	Bright Red	W,E					
56086	Bright White						
56160	Cabec Green						
56161	Cambridge White	W,E					
56072	Charcoal	W,E	W,E				
56077	Cocoa Brown						
56088	Dark Blue						
56062	Dark Brown	W,E	W,E	W,E			
56073	Dark Green	W,E					
56064	Dark Red						
55174	Deep Grey		E				
56083	Deep Water Green		W,E				
56070	Gold	E	W,E				
56078	Green		W,E				
55090	Greyberry						
56079	Heron Blue	W,E					
56090	Ivory	W,E					
56155	Light Blue						
56154	Metro Brown	W,E	W,E				
56065	Mist Green						
56084	Navy Blue		W,E				
56158	Oak Brown						
56063	Orange						
56156	Pacific Turquoise		W,E				
55051	Pebble Khaki						
56082	Regent Grey	W,E					

VW#	Colour	26	24	22	20	18	16
56081	Royale Blue	W,E					
56089	Sage Green						
56163	Sapphire Blue						
56067	Slate Blue	W,E	W,E				
56085	Spruce Green						
56071	Stone Grey	W,E	W,E	W,E			
56074	Tan	W,E	W,E	W,E			
56066	Tile Red	W,E					
56157	Turquoise						
56515	Twilight Blue						
56076	White White	E	E	E			
Expressence Finishes							
18-9875	Dark Cedar		E				
18-1028	Natural Zinc						
18-9874	Weathered Cedar		E				
18-9970	Weathered Steel						
Barrier Finishes (8/4 Interior Application)							
1546-8	Interior White			W,E			
Polyurethane Finishes							
7500	Silver Polyester Finish	E					
Metallic Finishes							
2624	Bright Silver	E	W,E	W,E			
9740	Carbon		E				
3234	Copper		E				
2897	Light Pewter		E				
Natural Finishes							
AZ150	Galvalume Plus	W,E					
AZ180	Galvalume Plus		W,E	W,E			
Z275	Galvanized	W,E	E	W,E	W,E	W,E	
ZF001	Galvanneal				W	W	W
SS	Stainless Steel						

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL7040
36 13/16" Coverage

PRODUCT OVERVIEW:	
Application	Wall
Reversed is	CL840
Panel Coverage	36 13/16" (93.5 cm)

Manufacturing Location(s):	
Stratford, ON	4' Min/40' Max
Victoriaville, QC	4' Min/44' Max



AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18
Weather XL Finishes						
56162	Antique Linen	E				
56087	Bamboo Ivory					
56068	Black	E	C,E			
56069	Bone White	E	C,E	C,E		
56080	Bright Red	E				
56086	Bright White					
57319	Burgundy					
56161	Cambridge White	E				
56072	Charcoal	E	C,E			
56077	Cocoa Brown					
56088	Dark Blue					
56062	Dark Brown	E	C,E	C,E		
56073	Dark Green	E				
56064	Dark Red					
55174	Deep Grey		E			
56083	Deep Water Green		E			
56070	Gold	E	C,E			
56078	Green		C,E			
55090	Greyberry					
56079	Heron Blue	E				
56090	Ivory	E				
56155	Light Blue					
56154	Metro Brown	E	C,E			
56065	Mist Green					
56084	Navy Blue		E			
56158	Oak Brown					
56063	Orange					
56156	Pacific Turquoise		E			
55051	Pebble Khaki					
56082	Regent Grey	E				

VW#	Colour	26	24	22	20	18
56081	Royale Blue	E				
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue	E	C,E			
56085	Spruce Green					
56071	Stone Grey	E	C,E	C,E		
56074	Tan	E	E	C,E		
56066	Tile Red	E				
56157	Turquoise					
56515	Twilight Blue					
56076	White White	E	C,E	C,E		
Expressence Finishes						
18-9875	Dark Cedar		E			
18-1028	Natural Zinc		E			
18-9970	Weathered Steel		E			
18-9874	Weathered Cedar		E			
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White			E		
Polyurethane Finishes						
7500	Silver Polyester Finish	E				
Metallic Finishes						
2624	Bright Silver	E	C,E	C,E		
9740	Carbon		E			
3234	Copper		E			
2897	Light Pewter		E			
Natural Finishes						
AZ150	Galvalume Plus	E				
AZ180	Galvalume Plus		C,E	C,E		
Z275	Galvanized	E	C,E	C,E	C,E	E
ZF001	Galvanneal			C	C	C
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL840
36 13/16" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Reversed is	CL7040
Minimum Roof Slope	4:12
Panel Coverage	36 13/16" (93.5 cm)

Manufacturing Location(s):	
Victoriaville, QC	4' Min/44' Max
Stratford, ON	4' Min/40' Max



AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18
Weather XL Finishes						
56162	Antique Linen	E				
56087	Bamboo Ivory					
56068	Black	E	C,E			
56069	Bone White	E	C,E	C,E		
56080	Bright Red	E				
56086	Bright White					
56161	Cambridge White	E				
56072	Charcoal	E	C,E			
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E	C,E	C,E		
56073	Dark Green	E		E		
56064	Dark Red					
55174	Deep Grey		E			
56083	Deep Water Green		E			
56070	Gold	E	C,E			
56078	Green		E			
55090	Greyberry					
56079	Heron Blue	E				
57619	Imperial White					
56090	Ivory	E				
56155	Light Blue					
56154	Metro Brown	E	C,E			
56065	Mist Green					
56084	Navy Blue		E			
56158	Oak Brown					
56063	Orange					
56156	Pacific Turquoise		E			
55051	Pebble Khaki					
56082	Regent Grey	E				

VW#	Colour	26	24	22	20	18
56081	Royale Blue	E				
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue	E	C,E			
56085	Spruce Green					
56071	Stone Grey	E	C,E	C,E		
56074	Tan	E	C	C,E		
56066	Tile Red	E				
56157	Turquoise					
56515	Twilight Blue					
56076	White White	E	C,E	C,E		
Expressence Finishes						
18-9875	Dark Cedar		E			
18-1028	Natural Zinc		E			
18-9874	Weathered Cedar		E			
18-9970	Weathered Steel		E			
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White			E		
Polyurethane Finishes						
7500	Silver Polyester Finish	E				
Metallic Finishes						
2624	Bright Silver	E	C,E	C,E		
9740	Carbon		E			
3234	Copper		E			
2897	Light Pewter		E			
Natural Finishes						
AZ150	Galvalume Plus	E				
AZ180	Galvalume Plus		C,E	C,E		
Z275	Galvanized	E	C,E	C,E	C,E	E
ZF001	Galvanneal			C	C	C
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL3035
39 15/16" Coverage

PRODUCT OVERVIEW:	
Application	Wall
Reversed is	CL435
Panel Coverage	39 15/16" (101.5 cm)



Manufacturing Location(s):
Victoriaville, QC 4' Min/44' Max

AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18
Weather XL Finishes						
56162	Antique Linen	E				
56087	Bamboo Ivory					
56068	Black	E	E			
56069	Bone White	E	E	E		
56080	Bright Red	E				
56086	Bright White					
56161	Cambridge White	E				
56072	Charcoal	E	E			
56077	Cocoa Brown					
56088	Dark Blue					
56062	Dark Brown	E	E	E		
56073	Dark Green	E				
56064	Dark Red					
55174	Deep Grey		E			
56083	Deep Water Green		E			
56070	Gold	E	E			
56078	Green		E			
55090	Greyberry					
56079	Heron Blue	E				
56090	Ivory	E				
56155	Light Blue					
56154	Metro Brown	E	E			
56065	Mist Green					
56084	Navy Blue		E			
56158	Oak Brown					
56063	Orange					
56156	Pacific Turquoise		E			
55051	Pebble Khaki					
56082	Regent Grey	E				
56081	Royale Blue	E				

VW#	Colour	26	24	22	20	18
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue	E	E			
56085	Spruce Green					
56071	Stone Grey	E	E	E		
56074	Tan	E	E	E		
56066	Tile Red	E				
56157	Turquoise					
56515	Twilight Blue					
56076	White White	E	E	E		
Expressence Finishes						
18-9875	Dark Cedar		E			
18-1028	Natural Zinc		E			
18-9824	Weathered Cedar		E			
18-9970	Weathered Steel		E			
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White			E		
Polyurethane Finishes						
7500	Silver Polyester Finish	E				
Metallic Finishes						
2624	Bright Silver	E	E	E		
9740	Carbon		E			
3234	Copper		E			
2897	Light Pewter		E			
Natural Finishes						
AZ150	Galvalume Plus	E				
AZ180	Galvalume Plus		E	E		
Z275	Galvanized	E	E	E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL435
39 15/16" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Reversed is	CL3035
Minimum Slope Roof	4:12
Panel Coverage	39 15/16" (101.5 cm)





Manufacturing Location(s):
Victoriaville, QC 4' Min/44' Max

AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18
Weather XL Finishes						
56162	Antique Linen	E				
56087	Bamboo Ivory					
56068	Black	E	E			
56069	Bone White	E	E	E		
56080	Bright Red	E				
56086	Bright White					
56161	Cambridge White	E				
56072	Charcoal	E	E			
56088	Dark Blue					
56062	Dark Brown	E	E	E		
56073	Dark Green	E				
56064	Dark Red					
55174	Deep Grey		E			
56083	Deep Water Green		E			
56070	Gold	E	E			
56078	Green		E			
55090	Greyberry					
56079	Heron Blue	E				
56090	Ivory	E				
56155	Light Blue					
56154	Metro Brown	E	E			
56065	Mist Green					
56084	Navy Blue		E			
56158	Oak Brown					
56063	Orange					
56156	Pacific Turquoise		E			
55051	Pebble Khaki					
56082	Regent Grey	E				
56081	Royale Blue	E				
56089	Sage Green					

VW#	Colour	26	24	22	20	18
56163	Sapphire Blue					
56067	Slate Blue	E	E			
56085	Spruce Green					
56071	Stone Grey	E	E	E		
56074	Tan	E	E	E		
56066	Tile Red	E				
56157	Turquoise					
56515	Twilight Blue					
56076	White White	E	E	E		
Expressence Finishes						
18-9875	Dark Cedar		E			
18-1028	Natural Zinc		E			
18-9824	Weathered Cedar		E			
18-9970	Weathered Steel		E			
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White			E		
Polyurethane Finishes						
7500	Silver Polyester Finish	E				
Metallic Finishes						
2624	Bright Silver	E	E	E		
9740	Carbon		E			
3234	Copper		E			
2897	Light Pewter		E			
Natural Finishes						
AZ150	Galvalume Plus	E				
AZ180	Galvalume Plus		E	E		
Z275	Galvanized	E	E	E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL5022R
37 3/8" Coverage

PRODUCT OVERVIEW:	
Application **Reversed is**	Wall CL622R
Panel Coverage	37 3/8" (95 cm)
Not available without ribs	

Manufacturing Location(s):
Victoriaville, QC 4' Min/44' Max



AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18
Weather XL Finishes						
56162	Antique Linen	E				
56087	Bamboo Ivory					
56068	Black	E	E			
56069	Bone White	E	E	E		
56080	Bright Red	E				
56086	Bright White					
56161	Cambridge White	E				
56072	Charcoal	E	E			
56077	Cocoa Brown					
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E	E	E		
56073	Dark Green	E				
56064	Dark Red					
55174	Deep Grey		E			
56083	Deep Water Green		E	E		
56070	Gold	E	E			
56078	Green		E			
55090	Greyberry					
56079	Heron Blue	E				
56090	Ivory	E				
56155	Light Blue					
56154	Metro Brown	E	E			
56065	Mist Green					
56084	Navy Blue		E			
56158	Oak Brown					
56063	Orange		E			
56156	Pacific Turquoise		E			
55051	Pebble Khaki					
56082	Regent Grey	E				

VW#	Colour	26	24	22	20	18
56081	Royale Blue	E				
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue	E	E			
56085	Spruce Green					
56071	Stone Grey	E	E	E		
56074	Tan	E	E	E		
56066	Tile Red	E				
56157	Turquoise					
56515	Twilight Blue					
56076	White White	E	E	E		
Expressence Finishes						
18-9875	Dark Cedar		E			
18-1028	Natural Zinc		E			
18-9824	Weathered Cedar		E			
18-9970	Weathered Steel		E			
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White			E		
Polyurethane Finishes						
7500	Silver Polyester Finish	E				
Metallic Finishes						
2624	Bright Silver	E	E	E		
9740	Carbon		E			
3234	Copper		E			
2897	Light Pewter		E			
Natural Finishes						
AZ150	Galvalume Plus	E				
AZ180	Galvalume Plus		E	E		
Z275	Galvanized	E	E	E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL622R
37 3/8" Coverage

PRODUCT OVERVIEW:	
Application **Reversed is**	Roof or Wall CL5022R
Minimum Roof Slope	3:12
Panel Coverage	37 3/8" (95 cm)
Not available without ribs	

Manufacturing Location(s):
Victoriaville, QC 4' Min/44' Max



AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18
Weather XL Finishes						
56162	Antique Linen	E				
56087	Bamboo Ivory					
56068	Black	E	E			
56069	Bone White	E	E	E		
56080	Bright Red					
56086	Bright White					
57319	Burgundy					
56160	Cabec Green					
56161	Cambridge White	E				
56072	Charcoal	E	E			
56088	Dark Blue					
56062	Dark Brown	E	E	E		
56073	Dark Green	E				
56064	Dark Red					
55174	Deep Grey		E			
56083	Deep Water Green		E	E		
56070	Gold	E	E			
56078	Green		E			
55090	Greyberry					
56079	Heron Blue	E				
56090	Ivory	E				
56155	Light Blue					
56154	Metro Brown	E	E			
56065	Mist Green					
56084	Navy Blue		E			
56158	Oak Brown					
56063	Orange		E			
56156	Pacific Turquoise		E			
55051	Pebble Khaki					
56082	Regent Grey	E				

VW#	Colour	26	24	22	20	18
56081	Royale Blue	E				
56089	Sage Green					
56163	Sapphire Blue					
56067	Slate Blue	E	E			
56085	Spruce Green					
56071	Stone Grey	E	E	E		
56074	Tan	E	E	E		
56066	Tile Red	E				
56157	Turquoise					
56515	Twilight Blue					
56076	White White	E	E	E		
Expressence Finishes						
18-9875	Dark Cedar		E			
18-1028	Natural Zinc		E			
18-9824	Weathered Cedar		E			
18-9970	Weathered Zinc		E			
Barrier Finishes						
1546-8	Interior White			E		
Polyurethane Finishes						
7500	Silver Polyester Finish	E				
Metallic Finishes						
2624	Bright Silver	E	E	E		
9740	Carbon		E			
3234	Copper		E			
2897	Light Pewter		E			
Natural Finishes						
AZ150	Galvalume Plus	E				
AZ180	Galvalume Plus		E	E		
Z275	Galvanized	E	E	E	E	E
ZF001	Galvanneal					
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

L800R
31.5" Coverage

PRODUCT OVERVIEW:	
Application	Wall
L-800R is a primary element of an insulated metal wall cladding assembly. R represents Ribbed as shown below. Also available in SR (non- ribbed)	
Panel Coverage	31.5" (80 cm)



Manufacturing Location(s):	
Edmonton, AB	5' Min/32' Max
Stratford, ON	4' Min/40' Max
Victoriaville, QC	4' Min/32' Max

AVAILABILITY BY REGION

VW#	Colour	26	24	22	20
Polyester Finishes (Interior Application)					
5712	Liner White	N	N		
Weather XL Finishes					
56162	Antique Linen				
56087	Bamboo Ivory				
56068	Black	N			
56069	Bone White	N			
56080	Bright Red	N			
56086	Bright White				
57319	Burgundy				
56160	Cabec Green				
56161	Cambridge White				
56072	Charcoal	N			
56077	Cocoa Brown				
56472	Cordovan				
56088	Dark Blue				
56062	Dark Brown	N			
56073	Dark Green	N			
56064	Dark Red				
56083	Deep Water Green				
56070	Gold				
56078	Green	N			
55090	Greyberry				
56079	Heron Blue	N			
57619	Imperial White				
56090	Ivory				
56155	Light Blue				
56154	Metro Brown	W,E			
56065	Mist Green	W,E			
56084	Navy Blue				

VW#	Colour	26	24	22	20
56158	Oak Brown				
56063	Orange				
56156	Pacific Turquoise				
55051	Pebble Khaki				
56082	Regent Grey	N			
56081	Royale Blue	N			
56089	Sage Green				
56163	Sapphire Blue				
56067	Slate Blue				
56085	Spruce Green	E			
56071	Stone Grey	N			
56074	Tan	W,E			
56066	Tile Red				
56157	Turquoise	E			
56515	Twilight Blue				
56076	White White	N	N	N	
Barrier Finishes (8/4 Interior Application)					
1546-8	Interior White		N		
Polyurethane Finishes					
7500	Silver Polyester Finish				
Metallic Finishes					
2624	Bright Silver				
3234	Copper				
Natural Finishes					
AZ150	Galvalume Plus	N			
AZ180	Galvalume Plus				
Z275	Galvanized	N	N		E
ZF001	Galvanneal				
SS	Stainless Steel				

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL3100
33.09" Coverage

PRODUCT OVERVIEW:	
Application	Wall
Reversed is	CL400
Panel Coverage	33.09" (90 cm)

Manufacturing Location(s):	
Victoriaville, QC	4' Min/ 44' Max

AVAILABILITY BY REGION

VW#	Colour	24	22	20	18
Weather XL Finishes					
56162	Antique Linen				
56087	Bamboo Ivory				
56068	Black	E			
56069	Bone White	E	E		
56080	Bright Red				
56086	Bright White	E			
57319	Burgundy				
56160	Cabec Green				
56161	Cambridge White				
56072	Charcoal	E			
56077	Cocoa Brown				
56088	Dark Blue				
56062	Dark Brown	E	E		
56073	Dark Green				
56064	Dark Red				
55174	Deep Grey	E			
56083	Deep Water Green	E			
56070	Gold	E			
56078	Green	E			
55090	Greyberry				
56079	Heron Blue				
56090	Ivory				
56155	Light Blue				
56154	Metro Brown	E			
56065	Mist Green	E			
56084	Navy Blue	E			
56158	Oak Brown				
56063	Orange	E			
56156	Pacific Turquoise	E			
55051	Pebble Khaki				

VW#	Colour	24	22	20	18
56082	Regent Grey				
56081	Royale Blue				
56089	Sage Green				
56163	Sapphire Blue				
56067	Slate Blue	E			
56085	Spruce Green	E			
56071	Stone Grey	E	E		
56074	Tan	E	E		
56066	Tile Red				
56157	Turquoise				
56515	Twilight Blue				
56076	White White	E	E		
Matte Finishes					
9822	Ebony Matte				
10276	Espresso Matte				
9821	Graphite Matte				
Expressence Finishes					
18-9875	Dark Cedar	E			
18-1028	Natural Zinc	E			
18-9874	Weathered Cedar	E			
18-9970	Weathered Steel	E			
Barrier Finishes					
1546-8	Interior White		E		
Metallic Finishes					
2624	Bright Silver	E	E		
9740	Carbon	E			
3234	Copper	E			
2897	Light Pewter	E			
Natural Finishes					
AZ180	Galvalume Plus	E	E		
Z275	Galvanized	E	E	E	E

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL400
33.09" Coverage

PRODUCT OVERVIEW:	
Application	Wall
Reversed is	CL3100
Panel Coverage	33.09" (90 cm)



Manufacturing Location(s):	
Victoriaville, QC	4' Min/ 44' Max

AVAILABILITY BY REGION

VW#	Colour	24	22	20	18
Weather XL Finishes					
56162	Antique Linen				
56087	Bamboo Ivory				
56068	Black	E			
56069	Bone White	E	E		
56080	Bright Red				
56086	Bright White	E			
57319	Burgundy				
56160	Cabec Green				
56161	Cambridge White				
56072	Charcoal	E			
56077	Cocoa Brown				
56088	Dark Blue				
56062	Dark Brown	E	E		
56073	Dark Green				
56064	Dark Red				
55174	Deep Grey	E			
56083	Deep Water Green	E			
56070	Gold	E			
56078	Green	E			
55090	Greyberry				
56079	Heron Blue				
56090	Ivory				
56155	Light Blue				
56154	Metro Brown	E			
56065	Mist Green	E			
56084	Navy Blue	E			
56158	Oak Brown				
56063	Orange	E			
56156	Pacific Turquoise	E			
55051	Pebble Khaki				

VW#	Colour	24	22	20	18
56082	Regent Grey				
56081	Royale Blue				
56089	Sage Green				
56163	Sapphire Blue				
56067	Slate Blue	E			
56085	Spruce Green	E			
56071	Stone Grey	E	E		
56074	Tan	E	E		
56066	Tile Red				
56157	Turquoise				
56515	Twilight Blue				
56076	White White	E	E		
Matte Finishes					
9822	Ebony Matte				
10276	Espresso Matte				
9821	Graphite Matte				
Expressence Finishes					
18-9875	Dark Cedar	E			
18-1028	Natural Zinc	E			
18-9874	Weathered Cedar	E			
18-9970	Weathered Steel	E			
Barrier Finishes					
1546-8	Interior White		E		
Metallic Finishes					
2624	Bright Silver	E	E		
9740	Carbon	E			
3234	Copper	E			
2897	Light Pewter	E			
Natural Finishes					
AZ180	Galvalume Plus	E	E		
Z275	Galvanized	E	E	E	E

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

AD SERIES WALL PANELS



AD150-SR



Manufactured in:
Stratford, ON
3' Min/40' Max



AD200-R/SR (R Shown)



Manufactured in:
Stratford, ON
3' Min/40' Max

AD275-R/SR (R Shown)



Manufactured in:
Stratford, ON
3' Min/40' Max

AD300-R/SR (R shown)



Manufactured in:
Stratford, ON
3' Min/40' Max
Edmtonton, AB
2' Min/30' Max

AD300V-R/SR (SR shown)



Manufactured in:
Victoriaville, QC
3' Min/40' Max

AVAILABILITY BY REGION

VW#	Colour	22	20
Weather XL Finishes			
56068	Black	C,E	
56069	Bone White	N	
56080	Bright Red	N	
56086	Bright White	C	
56161	Cambridge White	N	
56072	Charcoal	N	
56062	Dark Brown	N	
56079	Heron Blue	N	

VW#	Colour	22	20
56082	Regent Grey	C,E	
56071	Stone Grey	N	
56076	White White	N	C,E
Matte Finishes			
9822	Ebony Matte	C	
10276	Espresso Matte	C	
9821	Graphite Matte	C	
Polyurethane Finishes			
7500	Silver	C,E	

VW#	Colour	22	20
Expressence Finishes			
18-9875	Dark Cedar	N	
18-1028	Natural Zinc	N	
18-9874	Weathered Cedar	N	
18-9970	Weathered Steel	C,E	
Metallic Finishes			
2624	Bright Silver	N	
9740	Carbon	C	
2897	Light Pewter	C,E	

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

BELLARA™ STEEL SIDING

PRODUCT OVERVIEW:	
Application	SIDING
Panel Coverage	5.25"
Siding Length:	12'
Siding Piece Coverage:	5.25 SF
Siding pieces/carton:	10 pieces
Gauge:	26

Do it once, do it right! BELLARA STEEL SIDING provides lasting beauty and protection for your home.

Available in 3 contemporary dark matte colours, 3 traditional neutral shades, and 3 warm, lifelike woodgrains, BELLARA STEEL SIDING is the perfect solution to accent, refresh and protect your home.

Colours/Finishes	
Lifelike Woodgrain Finishes	
Deep Walnut	18-2768
Mountain Cedar	18-2772
River Rock Grey	18-2770
Contemporary Matte Colours	
Ebony	9822
Graphite	9821
Espresso	10276
Traditional Standard Finishes	
Regent Grey	56082
Stone Grey	56071
Cambridge White	56161





COLOUR-MATCHED CUSTOM TRIMS

301 Inside Corner

304 Outside Corner

313 J-Trim

315 Conversion Moulding

321 Partition Moulding

322 Drip Edge

350 A & B 2PC J-Trim

351 Rodent Protection Starter Strip

352 Starter Strip

Universal Starter

Z-58 Support Trim

TRADITION 100

15.75" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Roof Slope	3:12
Panel Coverage	15.75" (40 cm)



Manufacturing Location(s):	
Stratford, ON	4' Min/40' Max

AVAILABILITY BY REGION

VW#	Colour	24	22	20
Weather XL Finishes				
56068	Black		C	
56069	Bone White		C	
56080	Bright Red		C	
56086	Bright White		C	
56161	Cambridge White		C	
56072	Charcoal		C	
56062	Dark Brown		C	
56079	Heron Blue		C	
56082	Regent Grey		C	
56071	Stone Grey		C	
56076	White White		C	C

VW#	Colour	24	22	20
Matte Finishes				
9822	Ebony Matte		C	
10276	Espresso Matte		C	
9821	Graphite Matte		C	
Expressence Finishes				
18-9875	Dark Cedar		C	
18-1028	Natural Zinc		C	
18-9874	Weathered Cedar		C	
18-9970	Weathered Steel		C	
Polyurethane Finishes				
7500	Silver		C	

VW#	Colour	24	22	20
Metallic Finishes				
2624	Bright Silver		C	
9740	Carbon		C	
3234	Copper			
2897	Light Pewter		C	

TRADITION 150

15.75" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Roof Slope	2:12
Panel Coverage	15.75" (40 cm)

Manufacturing Location(s):	
Stratford, ON	4' Min/40' Max

AVAILABILITY BY REGION

VW#	Colour	24	22	20
Weather XL Finishes				
56071	Stone Grey	C		



NOTE: Mechanical seamer required for installation.

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

TSR
24" Coverage

PRODUCT OVERVIEW:	
Application	Roof
Minimum Roof Slope	1/4 : 12
Panel Coverage	24" (61 cm)



Manufacturing Location(s):	
Stratford, ON	4' Min/40' Max
Edmonton, AB	4' Min/40' Max

AVAILABILITY BY REGION				
VW#	Colour	26	24	22
Natural Finishes				
AZ180	Galvalume Plus		W,C	

NOTE: Mechanical seamer required for installation.

MARQUIS
17.72" Coverage

PRODUCT OVERVIEW:	
Application	Roof
Minimum Roof Slope	2:12
Panel Coverage	17.72" (45 cm)



Manufacturing Location(s):	
Stratford, ON	4' Min/40' Max



AVAILABILITY BY REGION

Please contact your Vicwest sales representative for available colours.

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

RESIDENTIAL

Table of Contents

ITEM	Page Number
Bellara	14
Elite	3
Granite Ridge	10 - 13
Prestige	4 - 5
Soffit	15
Summerside	6 - 9
SuperVic	2
UltraVic	1
Warranty Registration	16

ULTRAVIC
36" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Slope Roof	3:12
Maximum Span	24"
Panel Coverage	36" (914.5mm)



Manufacturing Location(s):					
Edmonton, AB	4.6' Min/39' Max	Victoriaville, QC	4' Min/40' Max	Kensington, PEI	3' Min/35' Max
Saskatoon, SK	3' Min/39' Max	Stratford, ON	3' Min/36' Max		

AVAILABILITY BY REGION

VW#	Colour	29	28	26
Polyester Finishes (Interior Application)				
5712	Liner White	E,C		
Weather XL Finishes				
56162	Antique Linen			
56087	Bamboo Ivory		C, W	
56068	Black		N	
56069	Bone White		N	
56080	Bright Red		N	
56086	Bright White		N	
57319	Burgundy		C	
56160	Cabec Green			
56161	Cambridge White			
56072	Charcoal		N	
56077	Cocoa Brown		N	
56472	Cordovan			
56088	Dark Blue			
56062	Dark Brown		N	
56073	Dark Green		N	
56064	Dark Red		N	
56083	Deep Water Green			
56070	Gold			
56078	Green		N	
55090	Greyberry			
56079	Heron Blue		N	
56090	Ivory			
56155	Light Blue			
56154	Metro Brown		C, W	
56065	Mist Green			
56084	Navy Blue			
56158	Oak Brown			
56063	Orange			

VW#	Colour	29	28	26
56156	Pacific Turquoise			
55051	Pebble Khaki			
56082	Regent Grey		N	
56081	Royale Blue		N	
56089	Sage Green			
56163	Sapphire Blue			
56067	Slate Blue		N	
56085	Spruce Green			
56071	Stone Grey		N	
56074	Tan		N	
56066	Tile Red		N	
56157	Turquoise			
56515	Twilight Blue			
56076	White White		N	
Matte Finishes				
10280	Currant Matte		E,C	
9822	Ebony Matte		N	
10276	Espresso Matte		E,C	
10275	Evergreen Matte*		E,C	
9821	Graphite Matte		N	
Polyurethane Finishes				
7500	Silver Polyurethane			
Metallic Finishes				
2624	Bright Silver			
3234	Copper			
Natural Finishes				
AZ150	Galvalume Plus		N	
AZ180	Galvalume Plus			
Z275	Galvanized		N	
ZF001	Galvanneal			
SS	Stainless Steel			

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

SUPERVIC
30” Coverage

PRODUCT OVERVIEW:	
Application	Roof or Wall
Minimum Slope Roof	4:12
Maximum Span	24”
Panel Coverage	30” (76.2 cm)



Manufacturing Location(s):	
Victoriaville, QC	4’ Min/35’ Max
Stratford, ON	3’ Min/36’ Max
Kensington, PEI	3’ Min/35’ Max

AVAILABILITY BY REGION

VW#	Colour	30	29	28	26	24
Polyester Finishes (Interior Application)						
5712	Liner White	E,C	E		E,C	E,C
Weather XL finishes						
56162	Antique Linen					
56087	Bamboo Ivory			C		
56068	Black	E		E,C	E, C	
56069	Bone White			E,C	E,C	
56080	Bright Red	E		E,C	E,C	
56086	Bright White	E		E,C		
57319	Burgundy			E		
56160	Cabec Green			E,C		
56161	Cambridge White					
56072	Charcoal	E		E,C	E,C	
56077	Cocoa Brown			E,C		
56472	Cordovan					
56088	Dark Blue					
56062	Dark Brown	E		E,C	E,C	
56073	Dark Green	E		E,C	E,C	
56064	Dark Red			E,C		
56083	Deep Water Green			E		
56070	Gold			E		
56078	Green			E,C	E,C	
55090	Greyberry			E,C		
56079	Heron Blue			E,C	E,C	
56090	Ivory			E,C		
56155	Light Blue					
56154	Metro Brown				E,C	
56065	Mist Green				E	
56084	Navy Blue					
56158	Oak Brown			E,C		
56063	Orange			E,C		

VW#	Colour	30	29	28	26	24
56156	Pacific Turquoise			E,C		
55051	Pebble Khaki			E,C		
56082	Regent Grey			E,C	E,C	
56081	Royale Blue			E,C	E,C	
56089	Sage Green			C		
56163	Sapphire Blue					
56067	Slate Blue			E,C		
56085	Spruce Green				E	
56071	Stone Grey			E,C	E,C	
56074	Tan			E,C	E	
56066	Tile Red			E,C		
56157	Turquoise				E	
56515	Twilight Blue					
56076	White White	E		E,C	E,C	E,C
Matte Finishes						
9822	Ebony Matte			E,C		
10276	Espresso Matte			E,C		
9821	Graphite Matte			E,C		
Barrier Finishes (8/4 Interior Application)						
1546-8	Interior White					C
Polyurethane Finishes						
7500	Silver Polyurethane					
Metallic Finishes						
2624	Bright Silver					
3234	Copper					
Natural Finishes						
AZ150	Galvalume Plus	E,C		E,C	E,C	
AZ180	Galvalume Plus					
Z275	Galvanized	E,C		E,C	E,C	E,C
ZF001	Galvanneal			C		
SS	Stainless Steel					

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

ELITE
16” Coverage

PRODUCT OVERVIEW:	
Application	Roof
Minimum Roof Slope	4:12
Panel Coverage	16”





Manufacturing Location(s):	
Stratford, ON	4’ Min / 35’ Max

AVAILABILITY BY REGION

VW#	Colour	28	26	24
Weather XL Finishes				
56162	Antique Linen			
56087	Bamboo Ivory			
56068	Black	C		
56069	Bone White			
56080	Bright Red			
56086	Bright White			
57319	Burgundy			
56160	Cabec Green			
56161	Cambridge White			
56072	Charcoal	C		
56077	Cocoa Brown	C		
56088	Dark Blue			
56062	Dark Brown			
56073	Dark Green	C		
56064	Dark Red			
56083	Deep Water Green			
56070	Gold			
56078	Green			
55090	Greyberry			
56079	Heron Blue			
56090	Ivory			
56155	Light Blue			
56154	Metro Brown			
56065	Mist Green			
56084	Navy Blue			
56158	Oak Brown			
56063	Orange			
56156	Pacific Turquoise			
55051	Pebble Khaki			
56082	Regent Grey			

VW#	Colour	28	26	24
56081	Royale Blue			
56089	Sage Green			
56163	Sapphire Blue			
56067	Slate Blue			
56085	Spruce Green			
56071	Stone Grey			
56074	Tan			
56066	Tile Red			
56157	Turquoise			
56515	Twilight Blue			
56076	White White			
Matte Finishes				
10280	Currant Matte	C		
9822	Ebony Matte	C		
10276	Espresso Matte	C		
10275	Evergreen Matte*	C		
9821	Graphite Matte	C		
Barrier Finishes (8/4 Interior Application)				
1546-8	Interior White			
Polyurethane Finishes				
7500	Silver Polyester Finish			
Metallic Finishes				
2624	Bright Silver			
3234	Copper			
Natural Finishes				
AZ150	Galvalume Plus	C		
AZ180	Galvalume Plus			
Z275	Galvanized			
ZF001	Galvanneal			
SS	Stainless Steel			

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

PRESTIGE
16” and 20” Coverage

PRODUCT OVERVIEW:	
Application	Roof
Minimum Roof Slope	4:12
Panel Coverage	16” or 20” available with or without ribs
NOTE:	16” available in 26 ga 20” available in 24 ga
12” available in Western Region. Please contact your Vicwest Sales Representative for colour availability.	



Manufacturing Location(s):	
Victoriaville, QC	4’ Min / 30’ Max
Edmonton, AB	4’ Min / 30’ Max

AVAILABILITY BY REGION

VW#	Colour	28	26	24
Weather XL Finishes				
56162	Antique Linen			
56068	Black		W,E	W,E
56069	Bone White			
56080	Bright Red			
57319	Burgundy			
56161	Cambridge White			
56072	Charcoal		W,E	
56088	Dark Blue			
56062	Dark Brown		W,E	W,E
56073	Dark Green		W,E	
56064	Dark Red			W,E
56083	Deep Water Green			
56078	Green			
56079	Heron Blue		W,E	
56090	Ivory			
56155	Light Blue			
56154	Metro Brown		W,E	
56065	Mist Green			
56084	Navy Blue			
56156	Pacific Turquoise			
55051	Pebble Khaki			
56082	Regent Grey			
56081	Royale Blue			

VW#	Colour	28	26	24
56089	Sage Green			
56163	Sapphire Blue			
56067	Slate Blue			
56085	Spruce Green			
56071	Stone Grey		W,E	
56074	Tan			
56066	Tile Red		W,E	
56157	Turquoise			
56515	Twilight Blue			
56076	White White			
Matte Finishes				
10280	Currant Matte			
9822	Ebony Matte		W,E	E
10276	Espresso Matte		W,E	E
10275	Evergreen Matte*			
9821	Graphite Matte		W,E	E
Metallic Finishes				
2624	Bright Silver		E	
3234	Copper			E
Natural Finishes				
AZ150	Galvalume Plus		W,E	
AZ180	Galvalume Plus			W,E
Z275	Galvanized			

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

PRESTIGE TRIMS


Prestige single starter


Prestige starter with fasteners


Prestige finish


Prestige notched finish


A-type gableboard


B-type gableboard


C-type gableboard


Prestige slope change


24” standard valley with open folds


Prestige valley


Prestige hip


Rib end-cap


Prestige flashing for side wall


Prestige metallic closure strip


Prestige metallic notched closure strip


Prestige Z notched closure strip


Prestige ridge


Prestige ridge (single slope)


Prestige ridge with fasteners


FV-8 ventilated ridge

SUMMERSIDE®
STEEL SHINGLES

PRODUCT OVERVIEW:	
Application	Roof
Minimum Roof Slope	4:12
Panel Coverage	21 1/2"



AVAILABILITY BY REGION

VW#	Colour	28	26	24
Weather XL Finishes				
56162	Antique Linen			
56087	Bamboo Ivory			
56068	Black	N		
56069	Bone White			
56080	Bright Red			
56086	Bright White			
57319	Burgundy			
56160	Cabec Green			
56161	Cambridge White			
56072	Charcoal	N		
56077	Cocoa Brown			
56088	Dark Blue			
56062	Dark Brown	N		
56073	Dark Green			
56064	Dark Red			
56083	Deep Water Green			
56070	Gold			
56078	Green			
55090	Greyberry			
56079	Heron Blue			
56090	Ivory			
56155	Light Blue			
56154	Metro Brown			
56065	Mist Green			
56084	Navy Blue			
56158	Oak Brown			
56063	Orange			
56156	Pacific Turquoise			
55051	Pebble Khaki			
56082	Regent Grey			

VW#	Colour	28	26	24
56081	Royale Blue			
56089	Sage Green			
56163	Sapphire Blue			
56067	Slate Blue			
56085	Spruce Green			
56071	Stone Grey			
56074	Tan			
56066	Tile Red			
56157	Turquoise			
56515	Twilight Blue			
56076	White White			
Matte Finishes				
10280	Currant Matte	N		
9822	Ebony Matte	N		
10276	Espresso Matte	N		
10275	Evergreen Matte*	N		
9821	Graphite Matte	N		
10278	Ocean Matte*	N		
10277	Twilight Matte*	N		
Barrier Finishes (8/4 Interior Application)				
1546-8	Interior White			
Metallic Finishes				
2624	Bright Silver			
3234	Copper			
Natural Finishes				
AZ150	Galvalume Plus			
AZ180	Galvalume Plus			
Z275	Galvanized			
ZF001	Galvanneal			
SS	Stainless Steel			

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply. *Extended lead times.

SUMMERSIDE®
STEEL SHINGLES

PRODUCT OVERVIEW:	
Dimensions	14.86" x 22.375" (37.74 cm x 56.83 cm) 1.79 sq. ft. / panel - 56 pcs. (2 boxes per covered square)
Panel Weight	1.96 lbs. / panel Approx 55 lbs. / box .89 kg / panel Approx 25 kg / box
Available Gauge(s)	28 gauge
Application	Roof

PRODUCT OVERVIEW:	
Min Pitch	4:12
Available Finishes	PP = Pre-painted
Warranty	50 YEAR TRANSFERABLE SMP FINISH WARRANTY for information on registering a warranty please see page 15

Image	Description	Length	Finish
	Summerside Steel Shingle	14.86" x 22.375" (37.74 cm x 56.83 cm)	PP
	Galvanized Starter J 28 Gauge	10'-0" (304.8 cm)	Galvanized
	Gable Cap 28 Gauge	10'-0" (304.8 cm)	PP
	"F" Gable Trim - 8 Gauge	10' -0" (304.8 cm)	PP
	Sidewall Cap 28 Gauge	10'-0" (304.8 cm)	PP
	Endwall 28 Gauge	10'-0" (304.8 cm)	PP
	Hip Cap 28 Gauge	10'-0" (304.8 cm)	PP
	Valley 28 Gauge	10'-0" (304.8 cm)	PP
	Galvanized Starter Hook 24 Gauge	10'-0" (304.8 cm)	Galvanized
	Eavestarter 28 Gauge. Black, Charcoal, Dark Brown only. *5 piece bundles*	10'-0" (304.8 cm)	PP
	Under Ridge Cap 28 Gauge	10'-0" (304.8 cm)	Galvanized
	Ridge Cap 28 Gauge	12" (30.48 cm)	PP

ACCESSORIES

	Vicwest Self Adhered Underlayment Peel & Stick Sold In Rolls (pallet pricing available)	approx. weight/ roll 45 lbs (21 kg)	36" x 65 (91.4cm x 20.3m) 200 Sq.ft Coverage (18.58 sq. m)
	Vicwest Performance Synthetic Roofing Underlayment	approx. weight / roll 28 lbs (12.7 kg)	4' x 250' (121.92 cm x 7620 cm) – 1000 Sq. ft. Coverage (93 sqm)
	Vicwest Economy Synthetic Roofing Underlayment	approx. weight / roll 20 lbs (9.07 kg)	4' x 250' (121.92 cm x 7620 cm) – 1000 Sq. ft. Coverage (93 sqm)

SUMMERSIDE®
STEEL SHINGLES

ACCESSORIES			
	Galvanized Woodgrip Screws (No Washers)	#9 x 1-1/2" (38 mm)	
	Galvanized Woodgrip Screws (No Washers)	#9 x 1" (50.8 mm)	
	# 8 Screw Self-drilling	#8 x 1/2"	Colour matched or galvanized
	Snow Stop Polar Blox		Clear
	Ridge Vent	5/8" thick x 9" available in 20' rolls	
	Metal Building Tape	1/8" x 1/2" x 25' long	
	Hip & Valley Sealer Adhesive Compressible	3/4" x 1" x 19'-10 1/4" long (19.05 mm x 25.4 mm x 6051.55 mm)	
	Dektite®Combo Flashing	#3 fits 1/4" - 5" diameter pipes or 3" - 6 1/4"	
	Flat steel embossed, Gauge 28	3' x10'	Dark Brown/ Charcoal/ Black
	Flat steel for matte finish, Even (non-embossed) Gauge 28	2' x10'	
	Touch-up paint 3.5oz, 8 oz or 16 oz Note: check available colours		
RECOMMENDED TOOLS			
	Tru-Cut Shear 4'		
	TSHD Turbo Shear		
	18 F-Folding Tool	18" long with 3/8" & 1" depths	

SUMMERSIDE®
TRIM DIMENSIONS

Painted Roof Starter 10'-0" lengths

Galvanized Starter Hook 10'-0" lengths



Galvanized Starter J 10'-0" lengths



Galvanized Under Ridge Cap 10'-0" lengths


Summerside PaintedValley 10'-0" lengths

Ridge Cap, prepainted, embossed, 10pc per box



Painted Gable Cap 10'-0" lengths



Painted Sidewall 10'-0" lengths



Painted Endwall 10'-0" lengths



Painted Hip Cap 10'-0" lengths

* Angle to be specified
Top side (prepainted)



Painted "F" Gable Trim 10'-0" lengths

GRANITE RIDGE STEEL SHINGLES

PRODUCT OVERVIEW:	
Application	Roof
Minimum Roof Slope	4:12
Panel Coverage	44"
Gauge	26

Colour
Barclay
Charcoal
English Suede
Ironwood
Timberwood

INTRODUCING NEW COLOURS

5 richer colours, allow the tiles to showcase more shadow lines creating a brighter more vibrant 3-dimensional effect. With an enhancement to the stone grade and resin formula, the new Granite Ridge is an industry leading performer backed by one of the strongest warranty programs.



Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

GRANITE RIDGE STEEL SHINGLES

PRODUCT OVERVIEW:	
Dimensions	46-1/16" x 15-5/8" (116.99 cm x 39.68 cm) 4.17 sq.ft. coverage per panel
Panel Weight	1.2 lbs. / sq.ft. or 120 lbs. / square 5.856 kg / sq. m or 54.4 kg / square
Available Gauge(s)	26 ga.
Application	Roof

PRODUCT OVERVIEW:	
Min Pitch	4:12
Available Finishes	SC = Stone Coated
Warranty	50 YEAR TRANSFERABLE SMP FINISH WARRANTY for information on registering a warranty please see page 15

Image	Description	Length	Finish
	Granite Ridge Steel Shingle	46-1/16" x 15-5/8" (116.99 cm x 39.68 cm)	SC
	Valley Cap	6' 7" (200.6 cm)	SC
	Charcoal Filter Foam	3/4" x 4 1/2" x 76"	
	Valley	10'-0" (304.8 cm)	Galvalume
	Riglet	10'-0" (304.8 cm)	Galvalume
	Z-Bar Attachment	6' 7" (200.6 cm)	SC
	Rake/Roof to Wall	10'-0" (304.8 cm)	Galvalume
	Rake Cover	6' 7" (200.6 cm)	SC
	Starter Strip	6' 7" (200.6 cm)	SC
	110˚ Head Metal	6' 7" (200.6 cm)	SC
	Hip and Ridge Cap	14" (35.56 cm)	SC
	Flat Sheets	4'-6" x 18" wide (200.6 cm) x 40.64 cm)	SC
	Rake / Roof to Wall * For new construction only	10'-0" (304.8 cm)	Galvanized

GRANITE RIDGE STEEL SHINGLES

ACCESSORIES			
	Vicwest Self Adhered Underlayment Peel & Stick Sold In Rolls (pallet pricing available)	approx. weight/ roll 45 lbs (21 kg)	36" x 65 (91.4cm x 20.3m) 200 Sq.ft Coverage (18.58 sq. m)
	Vicwest Performance Synthetic Roofing Underlayment	approx. weight / roll 28 lbs (12.7 kg)	4' x 250' (121.92 cm x 7620 cm) – 1000 Sq. ft. Coverage (93 sq. m)
	Vicwest Economy Synthetic Roofing Underlayment	approx. weight / roll 20 lbs (9.07 kg)	4' x 250' (121.92 cm x 7620 cm) – 1000 Sq. ft. Coverage (93 sq. m)
	Galvanized Woodgrip Screws (No Washers)	#9 x 1-1/2" (38 mm)	
	Galvanized Woodgrip Screws (No Washers)	#9 x 2" (50.8 mm)	Colour Matched
	Self-drilling Screws	#8 x 1/2"	
	Snow Stop Polar Blox		Clear
	Granite Ridge Roll Vent	5/8" thick x 7" available in 20' rolls	
	Dektite®Combo Flashing	#3 fits 1/4" - 5" diameter pipes or 3" - 6 1/4"	
RECOMMENDED TOOLS			
	Tru-Cut Shear 4'		
	TSHD Turbo Shear		

NOTES

For trims, accessories and colours not shown please contact your Vicwest sales representative.
For installation instructions, please refer to www.vicwest.com
For warranty registrations please register online at www.vicwestwarranty.com

GRANITE RIDGE TRIM DIMENSIONS



Rake Cover 6' 7" (200.6 cm) Lengths
Stone Coated Finish



Rake/ Roof-to-Wall
10' lengths Galvalume



Z-Bar Attachment/ Roof-to-Wall
6' 7" (200.6 cm) Lengths Stone Coated Finish



Valley 10' lengths Galvalume



Valley Cap 6' 7" (200.6 cm) lengths
Stone Coated Finish



Riglet 10' lengths Galvalume



Head Metal 6' 7" (200.6 cm) lengths
Stone Coated Finish



Eave Starter Strip 6' 7" (200.6 cm) lengths Stone Coated



Hip & Ridge Cap
Stone Coated Finish



Rake/Roof to wall. *For new construction only - Galvalume, 10' length

BELLARA™ STEEL SIDING

PRODUCT OVERVIEW:	
Application	SIDING
Panel Coverage	5.25"
Siding Length:	12'
Siding Piece Coverage:	5.25 SF
Siding pieces/carton:	10 pieces
Gauge:	26

Do it once, do it right! BELLARA STEEL SIDING provides lasting beauty and protection for your home.

Available in 3 contemporary dark matte colours, 3 traditional neutral shades, and 3 warm, lifelike woodgrains, BELLARA STEEL SIDING is the perfect solution to accent, refresh and protect your home.

Colours/Finishes	
Lifelike Woodgrain Finishes	
Deep Walnut	18-2768
Mountain Cedar	18-2772
River Rock Grey	18-2770
Contemporary Matte Colours	
Ebony	9822
Graphite	9821
Espresso	10276
Traditional Standard Finishes	
Regent Grey	56082
Stone Grey	56071
Cambridge White	56161





COLOUR-MATCHED CUSTOM TRIMS

301 Inside Corner

304 Outside Corner

313 J-Trim

315 Conversion Moulding

321 Partition Moulding

322 Drip Edge

350 A & B 2PC J-Trim

351 Rodent Protection Starter Strip

352 Starter Strip

Universal Starter

Z-58 Support Trim

RESIDENTIAL SOFFIT

Vicwest's residential perforated soffit provides 5% of ventilation per 10' length.
Available in a number of Pre-painted SMP finishes to compliment Vicwest Metal Roofing Profiles

Panel Dimensions: 14" Coverage available in 10' lengths

Available Gauge(s): SV-1410 28 ga. Galvanized, Galvalume or Pre-painted

Vicwest residential soffit is available in Perforated or Un-perforated. This product is manufactured in Quebec and may have extended lead times to some regions. Residential Soffit uses 500 Series Trims. Please contact your local Vicwest branch for colour availability and lead times.



WARRANTY REGISTRATION

If a purchase has been made for residential application for any of the following series please feel free to copy this page to give to the consumer.

UltraVic / SuperVic (40 year Limited Finish warranty)

Elite (40 year Limited Transferable finish warranty)

Summerside Shingles, Prestige, Granite Ridge (50 year Lifetime Limited Transferable warranty)

Vicwest has taken an online approach to warranty registrations. Should there ever be a problem with your new Vicwest metal roof OR in some cases you wish to transfer the warranty registered please ensure you visit www.vicwestwarranty.com

In order to ensure a speedy registration please have the following information on hand:

- Contact Information
- Product Information
- Installer Information
- Purchase location information

INSULATED PANELS

Table of Contents

ITEM **Page Number**

All Weather Insulated Roof Panels

HR Series - HR3 & HR5 Panels 3

SR2 - Standing Seam 3

All Weather Insulated Wall Panels

DM40 - Mesa Wall Panels 1

FL40 - Flat Wall Panels 2

HE40 - Heavy Embossed Wall Panels 2

RD5 - Roof Deck 4

ST40 - Striated Wall Panels 1

ALL WEATHER INSULATED WALL PANELS

DM40 - Mesa Wall Panels



Standard Panel Width: 40″
Panel Length: from 8′ to 50′ maximum.
Insulation Material: CFC-free foamed-in-place polyisocyanurate foam 2.1 to 2.5 pcf density.
Joint Configuration: offset tongue and groove with concealed fastener.
Metal facings: 26ga galvanized steel (22ga, 24ga available).
Coatings: PVDF & SMP (other coatings available).
Accessories: fasteners, concealed fastener clips, sealants, brake formed flashings.

Panel Thickness:					
2″	2.5″	3″	4″	5″	6″
Insulating Values (R):**					
16	20	24	32	41	49

NOTES: Please contact your sales representative for quotes, trim & accessories options, colour availability and lead times. For load tables, testings, product data sheets and details visit www.awipanels.com

**R-Value tested in accordance with ASTM C518/C1363 at 400 F mean temperature, adjusted for a windspeed of 15 mph.



ST40 - Striated Wall Panels



Standard Panel Width: 40″
Consult your sales representative for other available lengths
Panel Length: from 8′ to 40′ maximum.
Insulation Material: CFC-free foamed-in-place polyisocyanurate foam 2.1 to 2.5 pcf density.
Joint Configuration: offset tongue and groove with concealed fastener.
Metal facings: 26ga galvanized steel (22ga, 24ga available).
Coatings: PVDF & SMP (other coatings available).
Accessories: fasteners, concealed fastener clips, sealants, brake formed flashings.

Panel Thickness:			
2″	2.5″	3″	4″
Insulating Values (R):**			
16	20	24	32



ALL WEATHER INSULATED WALL PANELS

HE40 - Heavy Embossed Wall Panels

Standard Panel Width: 40″
Panel Length: from 8′ to 40′ maximum.
Insulation Material: CFC-free foamed-in-place polyisocyanurate foam 2.1 to 2.5 pcf density.
Joint Configuration: offset tongue and groove with concealed fastener.
Metal facings: 26ga galvanized steel (24ga available).
Coatings: PVDF & SMP (other coatings available).
Accessories: fasteners, concealed fastener clips, sealants, brake formed flashings.

Panel Thickness:			
2″	2.5″	3″	4″
Insulating Values (R):**			
16	20	24	32



FL40 - Flat Wall Panels



Standard Panel Width: 40″
Panel Length: from 8′ to 32′ maximum.
Insulation Material: CFC-free foamed-in-place polyisocyanurate foam 2.1 to 2.5 pcf density.
Joint Configuration: offset tongue and groove with concealed fastener.
Metal facings: 22ga Exterior 26ga
Coatings: PVDF & SMP (other coatings available).
Accessories: fasteners, concealed fastener clips, sealants, brake formed flashings.

Panel Thickness:		
2″	2.5″	3″
Insulating Values (R):**		
16	20	24

NOTES: Please contact your sales representative for quotes, trim & accessories options, colour availability and lead times.
For load tables, testings, product data sheets and details visit www.awipanels.com

**R-Value tested in accordance with ASTM C518/C1363 at 400 F mean temperature, adjusted for a windspeed of 15 mph.

ALL WEATHER INSULATED ROOF PANELS

SR2 - Standing Seam



Standard Panel Width: 40″ (36″ available)
Panel Length: from 8′ to 50′ maximum
Consult your sales representative for other available lengths
Insulation Material: CFC-free foamed-in-place polyisocyanurate foam 2.1 to 2.5 pcf density.
Joint Configuration: 90 degree field seamed
Metal facings: 26ga galvanized steel (22ga, 24ga available).
Coatings: PVDF & SMP (other coatings available).
Accessories: fasteners, concealed fastener clips, sealants, brake formed flashings.

Panel Thickness:			
3.25	4″	5″	6″
Insulating Values (R):**			
26	32	41	49



HR Series - HR3 & HR5 Panels



HR3

Standard Panel Width: 40″
Panel Length: from 8′ to 50′ maximum
Consult your sales representative for other available lengths
Insulation Material: CFC-free foamed-in-place polyisocyanurate foam 2.1 to 2.5 pcf density.
Joint Configuration: overlapping with exposed fasteners and saddle clips
Metal facings: 26ga galvanized steel (22ga, 24ga available).
Coatings: PVDF & SMP (other coatings available).
Accessories: fasteners, concealed fastener clips, sealants, brake formed flashings.



HR5

Panel Thickness:				
1.5″	2.5″	4″	5″	6″
Insulating Values (R):**				
12	20	32	41	49

ALL WEATHER INSULATED WALL PANELS

RD5- Roof Deck

Panel Thickness:			
2.5″	4″	5″	6″
Insulating Values (R):**			
20	32	41	49

Standard Panel Width: 40″
Panel Length: from 8′ to 50′ maximum.
Insulation Material: CFC-free foamed-in-place polyisocyanurate foam 2.1 to 2.5 pcf density.
Joint Configuration: Overlapping
Metal facings: 26ga galvanized steel (22 ga and 24ga available).
Coatings: PVDF & SMP (other coatings available).
Accessories: fasteners, concealed fastener clips, sealants, brake formed flashings.

NOTES: Please contact your sales representative for quotes, trim & accessories options, colour availability and lead times. For load tables, testings, product data sheets and details visit www.awipanels.com

**R-Value tested in accordance with ASTM C518/C1363 at 400 F mean temperature, adjusted for a windspeed of 15 mph.





Fastening at roof base from topside



Deck Style fastening through panel from topside



Table of Contents

ITEM	Page Number
CL306	3
CL938	2
FD938	1
HB306	3
HB938	1
RD306	3
RD938	1

RD938/FD938/ HB938

PRODUCT OVERVIEW:
RD 938 / FD 938 and Hi Bond Composite Floor Deck HB 938 are all available in Galvanized & Galvanneal finish. All profiles listed above are also available in 22 ga, 20 ga, 18 ga, 16 ga. RD 938 shown in the image.

Manufacturing Location(s):	
Edmonton, AB	5' Min/31' Max
Stratford, ON	4' Min/44' Max

RD (Roof Deck) 938



Hi-Bond Composite Floor Deck HB 938



VW#	Colour	24	22	20	18	16
Natural Finishes						
AZ075	Galvalume Plus		W			
ZF00	Galvaneel			C,W	C,W	C,W
Z275	Galvanized			C,W	C,W	

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

CL938
35 7/16" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Floor Can be used inverted for Roof Applications
Panel Coverage	35 7/16" (90 cm)





Manufacturing Location(s):	
Edmonton, AB	5' Min/31' Max
Stratford, ON	4' Min/44' Max

AVAILABILITY BY REGION

VW#	Colour	26	24	22	20	18	16
Weather XL Finishes							
56162	Antique Linen	W					
56087	Bamboo Ivory						
56068	Black	W					
56069	Bone White	W	C,W	C,W			
56080	Bright Red	W					
56086	Bright White						
57319	Burgundy						
56160	Cabec Green						
56161	Cambridge White	W					
56072	Charcoal	W	C,W				
56077	Cocoa Brown						
56472	Cordovan						
56088	Dark Blue						
56062	Dark Brown	W	W	W			
56073	Dark Green	W					
56064	Dark Red						
56083	Deep Water Green		C,W				
56070	Gold		W				
56078	Green		W				
55090	Greyberry						
56079	Heron Blue	W					
57619	Imperial White						
56090	Ivory	W					
56155	Light Blue						
56154	Metro Brown	W	W				
56065	Mist Green						
56084	Navy Blue		C,W				
56158	Oak Brown						
56063	Orange						

VW#	Colour	26	24	22	20	18	16
56156	Pacific Turquoise		W				
55051	Pebble Khaki						
56082	Regent Grey	W					
56081	Royale Blue	W					
56089	Sage Green						
56163	Sapphire Blue						
56067	Slate Blue	W	W				
56085	Spruce Green						
56071	Stone Grey	W	W	C,W			
56074	Tan	W	C,W	C,W			
56066	Tile Red	W					
56157	Turquoise						
56515	Twilight Blue						
56076	White White	W	W,C	W			
Expressence Finishes							
18-9875	Dark Cedar						
18-9874	Weathered Cedar		C				
Barrier Finishes (8/4 Interior Application)							
1508-8	Bone White 8/4			W			
Polyurethane Finishes							
7500	Silver Polyester Finish						
Metallic Finishes							
2624	Bright Silver		C,W	C,W			
3234	Copper						
2897	Light Pewter		C				
Natural Finishes							
AZ150	Galvalume Plus	W					
AZ180	Galvalume Plus		C,W	C,W			
Z275	Galvanized	W	C	C,W	C,W	W	
ZF001	Galvanneal			C	C,W	W	W
SS	Stainless Steel						

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

RD, HB, CL306
24" Coverage

PRODUCT OVERVIEW:	
Application	Roof or Floor
Panel Coverage	24" (61 cm)





Manufacturing Location(s):	
Stratford, ON	5' Min/ 40' Max

AVAILABILITY BY REGION

VW#	Colour	22	20	18
Natural Finishes				
Z275	Galvanized	C	C	C
ZF001	Galvanneal	C	C	

Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI). Colour Variations: It is important to order ALL materials for a project at the same time as shade consistency between batches can not be guaranteed due to normal manufacturing tolerances. This is also applicable for Galvalume orders. IMPORTANT: Colour availability listed above may be subject to change with out notice. *Extended lead times may apply.

Table of Contents

ITEM	Page Number
Bellara	10 - 11
Commercial Notched Sub-Girts	17
Commercial Sub-Girts	16
Custom Trim Girth Chart	18
Flat Sheets	19
Standard Trims Central	1 - 9
Standard Trims “C” Series	12 - 15

STANDARD TRIMS CENTRAL



"S" Series represents a standard trims/ flashing
200 Series represents trims/ flashings suitable for 1/2" high profiles in section 1
500 Series represents trims/ flashing suitable for 3/4" high profiles in section 1
Custom Trims are located on Pages 10-13 "C" Series represents custom trims/ flashings.

STANDARD TRIMS CENTRAL

Description	Illustrations	Description	Illustrations
Eave Fascia & Soffit S-1		Gable Fascia & Soffit S-2	
Corner Block S-3		Ridge Block S-27	
Corner Cap S-28		S-123 Gable Cap	
S-122 Eave Trim		S-124 Gable Cap	
S-125 Eave Trim		Adjustable Ridge Cap 15" Girth Two pcs required for 10' for use with UltraVic & SuperVic	
F- Gable Trim		End Wall Specify pitch when ordering for use with UltraVic & SuperVic	
Ridge / Cottage Hip Cap FR 8 *The dimensions may vary slightly between manufacturing locations		Gambrel Hip Cap for use with UltraVic & SuperVic	
Ridge / Cottage Hip Cap FR 6 *The dimensions may vary slightly between manufacturing locations		Notched Transition Trim Specify pitch when ordering for use with UltraVic & SuperVic	

STANDARD TRIMS CENTRAL

Description	Illustrations	Description	Illustrations
Chimney Flashing #1		Chimney Flashing #2	
Chimney Flashing #3			
Type A Valley availble in 18" girth, 24" girth and 36" girth		Type B Valley availble in 18" girth, 24" girth and 36" girth	
Type C Valley availble in 18" girth, 24" girth and 36" girth		Type D Valley availble in 18" girth, 24" girth and 36" girth	
Ridge Roll # S-20 still available for match-ups		Plain Gambrel Hip Cap (UN-NOTCHED) Specify pitch when ordering	
Plain Side Wall 4 3/4" x 6" 10' lengths		Gambrel Hip Cap 7" x 8" Girth 10' length for Victoria Covers 9' 6" Double M hip caps are 8' length	
Plain EndWall 10' Lengths		2pc Notched Ridge Cap 8" Girth; 10' length for Victoria Covers 9' 6". Double M. 2pc ridge caps are 8' length. *Must order 2 pieces for each 8' length of ridge.	
Gambrel Hip Cap 7" x 8" Length: 32" Available for BARNMASTER only		End Wall 4" x 8" Girth 10' length for Victoria Covers 9' 6" Double M End wall trims are 8' length	
Eave Starter 5" Girth **20 pcs per bundle** (black, white white, cocoa brown, dark brown, charcoal and galvanized)		Transition Trim Specify pitch when ordering	
Residential End Wall RE-8 * The dimensions may vary slightly between manufacturing locations		Step Flashing 8" x 9" Girth 100 pcs per bundle	

STANDARD TRIMS CENTRAL

Description	Illustrations	Description	Illustrations
Outside Corner S-6		Inside Corner S-7	
Gable Divider & Base Flashing S-8 A= 7/8" & B= 2" 220 A= 11/16" & B= 5/8" 520 A= 1" & B= 1"		Door Jamb S-9	
Door Jamb S-9 B		Window Flashing S-10	
Door Casing Head S-11 Jamb (sliding door edge trim) S-11		J-Trim S-12 A = 15/16" & B = 7/8" 210 A = 5/8" & B = 5/8" 510 A = 15/16" & B = 1"	
Drip Flashing S-13 (1 1/2")		Drip Flashing S-14 A= 1" 219 A= 3/4" 519 A= 1 1/8"	
Door Casing S-15			

vicwest BUILDING PRODUCTS

STANDARD TRIMS CENTRAL

Description	Illustrations	Description	Illustrations
Square Track Cover S-4		Double Square Track Cover S-4B	
Square Track Cover End Caps S-5 S-5B		Round Track Cover End Caps S-18 S-18B	
Round Track Cover S-17		Double Round Track Cover S-17B	

NOTE: Jamb and Drip "C" dimensions to be specified by customer. 3/4", 1 1/2", 2", 3", 4", 5", 6" or 9" available.
Reminder: S represents standard trims, 200 series is for 1/2" high profiles, 500 series is for 3/4" high profiles

STANDARD TRIMS CENTRAL

STANDARD TRIMS – Gauge 28

Series 200 – Double M, Victoria, Channel Wall, CL508, CL815R/7015R, Barnmaster
Series 500 – SuperVic, Grand Rib, UltraVic, CL4012, DR36
Series 700 – Corrugated 7/8", Elite
Series 1100 - CL7040/840, CL6025/725, CL5022/622, CL3035/435, AD150/200/275/300 and Prestige, Ga 26

DESCRIPTION	ILLUSTRATION
Outside Corner, galvanized, galvalume, prepainted	

Series No.	DIMENSION			
	A	B	C	D
200	5/8" (16)	1 1/4" (32)	3/4" (19)	1 3/4" (44)
500	15/16" (24)	1 3/4" (44)	1" (25)	2 3/16" (56)
700	1 1/8" (29)	2 1/4" (57)	1" (25)	3 1/4" (83)

DESCRIPTION	ILLUSTRATION
Inside Corner, galvanized, galvalume, prepainted	

Series No.	DIMENSION			
	A	B	C	D
201	11/16" (17)	1" (25)	3/4" (19)	2 1/8" (54)
501	15/16" (24)	1" (25)	3/4" (19)	1 15/16" (49)
701	1 1/8" (29)	1" (25)	7/8" (22)	3" (76)
1101	1 5/8" (41)	1" (25)	7/8" (22)	2 1/2" (64)

DESCRIPTION	ILLUSTRATION
Outside Corner, galvanized, galvalume, prepainted	

Series No.	DIMENSION			
	A	B	C	D
204	5/8" (16)	2 3/4" (19)	3/4" (19)	1 7/8" (48)
504	15/16" (24)	2 3/4" (70)	1" (25)	2 13/16" (71)
704	1 1/8" (29)	3 1/2"	1" (25)	2 3/8" (60)
1104	1 5/8" (41)	3 1/2" (89)	1" (25)	2 3/4" (70)

DESCRIPTION	ILLUSTRATION
"J" Trim, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
210	11/16" (17)	5/8" (16)	1 3/16" (30)
510	15/16" (24)	15/16" (24)	2 3/4" (69)
710	1 1/8" (29)	1" (25)	3 3/8" (86)
1110	1 5/8" (41)	1" (25)	2 7/8" (73)

STANDARD TRIMS CENTRAL

STANDARD TRIMS – Gauge 28

Series 200 – Double M, Victoria, Channel Wall, CL508, CL815R/7015R, Barnmaster
Series 500 – SuperVic, Grand Rib, UltraVic, CL4012, DR36
Series 700 – Corrugated 7/8", Elite
Series 1100 - CL7040/840, CL6025/725, CL5022/622, CL3035/435, AD150/200/275/300 and Prestige, Ga 26

DESCRIPTION	ILLUSTRATION
"J" Trim, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	*
211	11/16" (18)	5/8" (16)	*
511	15/16" (24)	1" (25)	*
711	1 1/8" (29)	1" (25)	*
1111	1 5/8" (41)	1" (25)	*

* 3/4" (19), 1" (25), 1 1/2" (38), 2" (51), 3" (76), 4" (102), 5" (127), 6" (152), 9" (229) to be specified*

DESCRIPTION	ILLUSTRATION
Jamb, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
213	5/8" (16)	5/8" (16)	2 1/2" (64)
513	15/16" (24)	1" (25)	2 1/4" (57)
713	1 1/8" (29)	1" (25)	4 7/8" (124)
1113	1 5/8" (41)	1" (25)	3 7/8" (98)

DESCRIPTION	ILLUSTRATION
Conversion	

Series No.	DIMENSION			
	A	B	C	D
215	3/4" (19)	5/8" (16)	4 1/4"	2" (50)
515	1" (25)	1" (25)	2 3/4" (70)	2 1/4" (57)
715	1 1/2" (38)	1" (25)	4 3/4" (121)	2 1/4" (57)
1115	2" (50)	1" (25)	3" (76)	3" (76)

DESCRIPTION	ILLUSTRATION
Drip, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
216	3/4" (19)	3/4" (19)	3" (76)
516	1 1/8" (29)	3/4" (19)	5 1/4" (13)
716	1 1/2" (38)	3/4" (19)	4 1/2" (108)
1116	2" (51)	3/4" (19)	3 1/2" (89)

STANDARD TRIMS CENTRAL

STANDARD TRIMS – Gauge 28

Series 200 – Double M, Victoria, Channel Wall, CL508, CL815R/7015R, Barnmaster
Series 500 – SuperVic, Grand Rib, UltraVic, CL4012, DR36
Series 700 – Corrugated 7/8", Elite
Series 1100 - CL7040/840, CL6025/725, CL5022/622, CL3035/435, AD150/200/275/300 and Prestige, Ga 26

DESCRIPTION	ILLUSTRATION
Drip, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
217	3/4" (19)	3/4" (19)	+/- 3" (76)
517	1 1/8" (29)	3/4" (19)	+/- 3 1/4" (83)
717	1 1/2" (38)	3/4" (19)	+/- 3" (76)
1117	2" (51)	3/4" (19)	+/- 3" (76)

* 3/4" (19), 1" (25), 1 1/2" (38), 2" (51), 3" (76), 4" (102), 5" (127), 6" (152), 9" (229) to be specified*

DESCRIPTION	ILLUSTRATION
Drip, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
218	3/4" (19)	3/4" (19)	+/- 3" (76)
518	1 1/8" (29)	3/4" (19)	+/- 4" (102)
718	1 1/2" (38)	3/4" (19)	+/- 4 1/2" (114)
1118	2" (51)	3/4" (19)	+/- 3 1/2" (89)

* 3/4" (19), 1" (25), 1 1/2" (38), 2" (51), 3" (76), 4" (102), 5" (127), 6" (152), 9" (229) to be specified*

DESCRIPTION	ILLUSTRATION
Drip, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
219	3/4" (19)	3/4" (19)	2" (51)
519	1 1/8" (29)	3/4" (19)	2 3/4" (70)
719	1 1/2" (38)	3/4" (19)	3 1/4" (83)
1119	2" (51)	3/4" (19)	2 3/4" (70)

DESCRIPTION	ILLUSTRATION
Conversion, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
220	11/16" (17)	5/8" (16)	2 3/16" (56)
520	1" (25)	1" (25)	2 5/8" (67)
720	1 1/2" (38)	1" (25)	3" (76)
1120	2" (51)	1" (25)	2 1/2" (64)

STANDARD TRIMS CENTRAL

STANDARD TRIMS – Gauge 28

Series 200 – Double M, Victoria, Channel Wall, CL508, CL815R/7015R, Barnmaster
Series 500 – SuperVic, Grand Rib, UltraVic, CL4012, DR36
Series 700 – Corrugated 7/8", Elite
Series 1100 - CL7040/840, CL6025/725, CL5022/622, CL3035/435, AD150/200/275/300 and Prestige, Ga 26

DESCRIPTION	ILLUSTRATION
Partition, galvanized, galvalume, prepainted	

Series No.	DIMENSION			
	A	B	C	D
221	11/16" (18)	2" (51)	3/4" (19)	2 1/16" (52)
521	15/16" (24)	2 1/2" (64)	1" (25)	2 13/16" (71)
721	1 1/8" (29)	3 1/4" (83)	1" (25)	2 1/4" (57)
1121	1 5/8" (41)	3 1/4" (83)	1" (25)	3 1/4" (83)

DESCRIPTION	ILLUSTRATION
Drip, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
222	3/4" (19)	3/4" (19)	4 1/2" (108)
522	1 1/8" (29)	3/4" (19)	3 3/4" (95)
722	1 1/2" (38)	3/4" (19)	3" (76)
1122	2" (51)	3/4" (19)	5" (127)

DESCRIPTION	ILLUSTRATION
Starter Strip	

Series No.	DIMENSION	
	A	B
223	3/4" (19)	2 1/2" (64)
523	1 1/8" (29)	3 3/4" (95)
723	1 1/2" (38)	3" (76)
1123	2" (51)	5" (127)

DESCRIPTION	ILLUSTRATION
Vermin-Proof, galvanized, galvalume, prepainted	

Series No.	DIMENSION		
	A	B	C
240	3/4" (19)	2" (51)	2 1/2" (64)
540	1 1/8" (26)	2 1/2" (64)	2" (51)
740	1 1/2" (38)	3" (76)	4" (102)
1140	2" (51)	3 1/2" (89)	3" (76)

BELLARA™ TRIMS

All Bellara trims are 10' lengths and 26 Gauge

COLOUR REFERENCES			
Woodgrain Finishes	18-2768 - Deep Walnut	18-2772 - Mountain Cedar	18-2770 - River Rock Grey
Matte Finishes	9822 - Ebony	9821 - Graphite	10276 - Espresso
Standard Finishes	56082 - Regent Grey	56071 - Stone Grey	56161 - Cambridge White

Trim Details	Image	Wood Finish SKU	Matte Finish SKU	Standard Finish SKU
301 Inside Corner		18-2768 CTM01069 18-2772 CTM01071 18-2770 CTM01070	9822 CTM01067 9821 CTM01066 10276 CTM01068	56082 CTM01064 56071 CTM01063 56161 CTM01065
304 Outside Corner		18-2768 CTM04071 18-2772 CTM04073 18-2770 CTM04072	9822 CTM04069 9821 CTM04068 10276 CTM04070	56082 CTM04066 56071 CTM04065 56161 CTM04067
313 J-Trim		18-2768 CTMMLD060 18-2772 CTMMLD062 18-2770 CTMMLD061	9822 CTMMLD058 9821 CTMMLD057 10276 CTMMLD059	56082 CTMMLD055 56071 CTMMLD054 56161 CTMMLD056
315		18-2768 CTM15009 18-2772 CTM15011 18-2770 CTM15010	9822 CTM15007 9821 CTM15006 10276 CTM15008	56082 CTM15004 56071 CTM15003 56161 CTM15005
321 Partition Molding		18-2768 CTM21027 18-2772 CTM21029 18-2770 CTM21028	9822 CTM21025 9821 CTM21024 10276 CTM21026	56082 CTM21022 56071 CTM21021 56161 CTM21023
322 Drip Edge		18-2768 CTM22007 18-2772 CTM22009 18-2770 CTM22008	9822 CTM22005 9821 CTM22004 10276 CTM22006	56082 CTM22002 56071 CTM22001 56161 CTM22003

BELLARA™ TRIMS

Trim Details	Image	Wood Finish SKU	Matte Finish SKU	Standard Finish SKU
350A&B 2 PC J Trim		**350A** 18-2768 CTMMLD069 18-2772 CTMMLD071 18-2770 CTMMLD070 **350B** 18-2768 CTMMLD078 18-2772 CTMMLD080 18-2770 CTMMLD079	**350A** 9822 CTMMLD067 9821 CTMMLD066 10276 CTMMLD068 **350B** 9822 CTMMLD076 9821 CTMMLD075 10276 CTMMLD077	**350A** 56082 CTMMLD064 56071 CTMMLD063 56161 CTMMLD065 **350B** 56082 CTMMLD073 56071 CTMMLD072 56161 CTMMLD074
Z-58 Support Trim		18-2768 CTMMLD087 18-2772 CTMMLD089 18-2770 CTMMLD088	9822 CTMMLD085 9821 CTMMLD084 10276 CTMMLD086	56082 CTMMLD082 56071 CTMMLD081 56161 CTMMLD083
Universal Starter -		Galvanized CTMMLD090		
351 Bellara Rodent		Black - CTMMLD092		
352 Bellara General Starter Strip		Galvanized CTMMLD091		

STANDARD TRIMS
"C" SERIES (Custom)

	Drawing	Girth		Drawing	Girth
Eave Fascia & Soffit: C-1		A+B+7″ = ″ 6 Folds	J-Trim: C-12		A+B+C+1″ = ″ 4 Folds
Eave Fascia & Soffit: C-2		A+B+10″ = ″ 8 Folds	Drip: C-13		A+B+C+1/2″ = ″ 4 Folds
Eave Fascia & Soffit: C-3		A+B+7″ = ″ 4 Folds	Mod. Ridge Cover: C-20		A+B+3″ = ″ 6 Folds
Z Trim: C-7		A+B+C″ = ″ 2 Folds	Outside Corner: C-22		A+B+1″ = ″ 5 Folds
Eave Fascia & Soffit: C-5		A+B+6″ = ″ 8 Folds	Inside Corner: C-23		A+B+1″ = ″ 5 Folds
Eave Fascia & Soffit: C-6		A+B+10″ = ″ 8 Folds	Door Jamb: C-24		A+B+4 1/4″ = ″ 5 Folds
Base Trim: C-8		A+B+C+1″ = ″ 4 Folds	Door Jamb: C-25		A+B+C+1″ = ″ 3 Folds
Eave/Gable Fascia & Soffit: C-10		A+B+5″ = ″ 4 Folds	Door Jamb: C-25B		A+B+C+ 1 1/2″ = ″ 5 Folds
Gable Fascia & Soffit: C-11		A+B+8″ = ″ 8 Folds	Window Flashing: C-26		A+B+3″ = ″ 5 Folds

vicwest BUILDING PRODUCTS

STANDARD TRIMS
"C" SERIES (Custom)

	Drawing	Girth		Drawing	Girth
Window Flashing: C-27		A+B+4 3/4″ = ″ 7 Folds	Fascia Cover: C-43		A+B+3″ = ″ 4 Folds
Door Casing: C-29		A+B+3″ = ″ 4 Folds	Angle Trim: C-90		A+B+½″ = ″ 3 Folds
Door Casing: C-30		A+B+4 7/8″ = ″ 6 Folds	Angle Trim: C-91		A+B+½″ = ″ 3 Folds
Open Ridge: C-31		A+B+5 3/8″ = ″ 4 Folds	L-Trim, Colour Outside: C-92		A+B = ″ 1 Fold
Door Jamb: C-33		A+B+3″ = ″ 4 Folds	L-Trim, Colour Inside: C-93		A+B = ″ 1 Fold
Door Jamb: C-34		A+B+5 1/4″ = ″ 6 Folds	U-Trim: C-94		A+B+C = ″ 2 Folds
Fascia Cover: C-40		A+B+C+D+2″ = ″ 4 Folds	U-Trim w/Returns: C-95		A+B+C+1″ = ″ 6 Folds
Fascia Cover: C-41		A+B+C+2″ = ″ 3 Folds	Fascia: C-101		A+2 1/4″ = ″ 3 Folds
Fascia Cover: C-42		A+B+2″ = ″ 2 Folds	Fascia: C-102		A+3 3/8″ = ″ 6 Folds

STANDARD TRIMS
"C" SERIES (Custom)

	Drawing	Girth
Fascia: C-103		A+B+C = ″ 2 Folds
Fascia: C-104		A+B+C+⅝″ = ″ 5 Folds
Eave Gable Fascia & Soffit: C-110		A+B+C+D = ″ 3 Folds
Eave Gable Fascia & Soffit: C-111		A+B+C+D +⅞″ = ″ 4 Folds
Eave Gable Fascia & Soffit: C-112		A+B+C+D +1⅜″ = ″ 7 Folds
Eave Gable Fascia & Soffit: C-113		A+B+C+E +2¼″ = ″ 10 Folds
Eave Gable Fascia & Soffit: C-114		A+B+D+E +⅞″ = ″ 6 Folds
Eave Gable Fascia & Soffit: C-115		A+B+D+E +1¾″ = ″ 7 Folds
Eave Gable Fascia & Soffit: C-116		A+B+C +1½″ = ″ 5 Folds
Eave Gable Fascia & Soffit: C-117		A+B+C + 1/2″ = ″ 4 Folds
Eave Gable Fascia & Soffit: C-118		A+B+1/2″ = = ″ 4 Folds
Soffit: C-119		A+C +1⅜″ = ″ 7 Folds
Top Moulding: C-120		A+B+1 5/8″ = ″ 6 Folds
Top Moulding: C-121		A+B+1/2″ = ″ 3 Folds
Top Moulding: C-122		A+B+1 1/8″ = ″ 4 Folds
Top Moulding: C-123		A+B+1 1/8″ = ″ 4 Folds
End & Sidewall Flashing: C-128: A=½″ C=5″ B=6″ C-129: A=¾″ C=4¾″ B=6″ C-130: A=1⅛″ C=4⅝″ B=5⅛″		A+B+C+6 1/2″ = ″ = ″ = ″ 5 Folds
Window Flashing: C-136		A+B+C+D +1/2″ = ″ 5 Folds

vicwest BUILDING PRODUCTS

STANDARD TRIMS
"C" SERIES (Custom)

	Drawing	Girth
Window Flashing: C-137		A+B+C+D +2″ = ″ 7 Folds
Door Casing: C-138		A+B+C+1¼″ = ″ 4 Folds
Door Casing: C-139		A+B+C+4″ = ″ 6 Folds
Sidewall Flashing: C-140		A+B+C+D +4⅜″ = ″ 4 Folds
End & Sidewall Flashing: C-141		A+B+C = ″ 2 Folds

COMMERCIAL SUB-GIRTS
In Standard Galvanized Steel

"Z" BAR

Available in 16 and 18 gauge

(10' 0" LENGTHS)



NO.	DIMENSIONS		GIRTH
	X	Y	
Z-75	3/4"	1 29/64"	3 13/64"
Z-100	1"	1 33/64"	3 33/64"
Z-150	1 1/2"	1 13/32"	3 29/32"
Z-200	2"	1 13/32"	4 13/32"
Z-250	2 1/2"	1 17/32"	5 1/32"
Z-300	3"	1 7/8"	5 7/8"
Z-350	3 1/2"	1 3/8"	5 7/8"
Z-400	4"	2 3/64"	7 3/64"
Z-450	4 1/2"	1 35/64"	7 3/64"
Z-500	5"	1 1/2"	7 1/2"
Z-550	5 1/2"	1 1/2"	8"
Z-600	6"	1 13/16"	8 13/16"

"U" BAR

Available in 16 and 18 gauge

(10' 0" LENGTHS)



NO.	DIMENSIONS			GIRTH
	X	Y	YY	
U-75	3/4"	3 5/8"	1 1/2"	5 7/8"
U-100	1"	3 5/8"	1 1/2"	5 7/8"
U-150	1 1/2"	2 7/8"	1 1/2"	5 7/8"
U-200	2"	2 5/8"	1 1/4"	5 7/8"
U-250	2 1/2"	3 3/64"	1 1/2"	7 3/64"
U-300	3"	2 35/64"	1 1/2"	7 3/64"
U-350	3 1/2"	2 19/64"	1 1/4"	7 3/64"
U-400	4"	3 5/16"	1 1/2"	8 13/16"
U-450	4 1/2"	2 13/16"	1 1/2"	8 13/16"
U-500	5"	2 9/16"	1 1/4"	8 13/16"
U-550	5 1/2"	3"	1 1/2"	10"
U-600	6"	2 3/4"	1 1/4"	10"

COMMERCIAL NOTCHED SUB-GIRTS
In Standard Galvanized Steel

"Z" BAR

Available in 18 gauge

(2' 7" LENGTHS)

ZE L-800 (2' 7")



NO.	DIMENSIONS		GIRTH
	X	Y	
ZE-150	1 1/2"	1 13/32"	3 29/32"
ZE-200	2"	1 13/32"	4 13/32"
ZE-250	2 1/2"	1 17/32"	5 1/32"
ZE-300	3"	1 7/8"	5 7/8"
ZE-350	3 1/2"	1 3/8"	5 7/8"
ZE-400	4"	1 3/64"	7 3/64"
ZE-450	4 1/2"	1 35/64"	7 3/64"
ZE-500	5"	1 1/2"	7 1/2"
ZE-550	5 1/2"	1 1/2"	8"
ZE-600	6"	1 13/16"	8 13/16"

HAT SECTION

Available in 18 gauge

(10' 0" LENGTHS)



NO.	DIMENSIONS			GIRTH
	X	Y	YY	
H-62	5/8"	1 1/2"	53/64"	4 13/32"
H-75	3/4"	1 1/2"	1 1/16"	5 1/32"
H-100	1"	1 1/2"	49/64"	5 1/32"
H-150	1 1/2"	1 1/2"	11/16"	5 7/8"
H-200	2"	2"	3/4"	7 1/2"
H-250	2 1/2"	2 1/2"	21/32"	8 13/16"
H-300	3"	3"	1 3/8"	11 3/4"
H-350	3 1/2"	3 1/2"	5/8"	11 3/4"

CUSTOM TRIM GIRTH CHART
Galvanized, Galvalume & Pre-painted

FOLDS	FINISH	3"	4"	6"	9"	12"	15"	18"	21"	24"	27"	30"	36"
1	Galv/G'lume	•	•	•	•	•	•	•	•	•	•	•	•
	prep	•	•	•	•	•	•	•	•	•	•	•	•
2	Galv/G'lume	•	•	•	•	•	•	•	•	•	•	•	•
	prep	•	•	•	•	•	•	•	•	•	•	•	•
3	Galv/G'lume	•	•	•	•	•	•	•	•	•	•	•	•
	prep	•	•	•	•	•	•	•	•	•	•	•	•
4	Galv/G'lume	•	•	•	•	•	•	•	•	•	•	•	•
	prep	•	•	•	•	•	•	•	•	•	•	•	•
5	Galv/G'lume	-	•	•	•	•	•	•	•	•	•	•	•
	prep	-	•	•	•	•	•	•	•	•	•	•	•
6	Galv/G'lume	-	•	•	•	•	•	•	•	•	•	•	•
	prep	-	•	•	•	•	•	•	•	•	•	•	•
7	Galv/G'lume	-	-	•	•	•	•	•	•	•	•	•	•
	prep	-	-	•	•	•	•	•	•	•	•	•	•
8	Galv/G'lume	-	-	•	•	•	•	•	•	•	•	•	•
	prep	-	-	•	•	•	•	•	•	•	•	•	•
9	Galv/G'lume	-	-	-	•	•	•	•	•	•	•	•	•
	prep	-	-	-	•	•	•	•	•	•	•	•	•
10	Galv/G'lume	-	-	-	•	•	•	•	•	•	•	•	•
	prep	-	-	-	•	•	•	•	•	•	•	•	•
11	Galv/G'lume	-	-	-	-	•	•	•	•	•	•	•	•
	prep	-	-	-	-	•	•	•	•	•	•	•	•
12	Galv/G'lume	-	-	-	-	-	•	•	•	•	•	•	•
	prep	-	-	-	-	-	•	•	•	•	•	•	•
13	Galv/G'lume	-	-	-	-	-	-	•	•	•	•	•	•
	prep	-	-	-	-	-	-	•	•	•	•	•	•
14	Galv/G'lume	-	-	-	-	-	-	-	•	•	•	•	•
	prep	-	-	-	-	-	-	-	•	•	•	•	•
15	Galv/G'lume	-	-	-	-	-	-	-	-	•	•	•	•
	prep	-	-	-	-	-	-	-	-	•	•	•	•

1 Double Fold = 2 Folds 1 "V" Rib = 1 Fold 1 Drip Point = 1 Fold

Crossbreaking:

Old Style Perforating is available for match-up on request.

New Style Perforating (as shown). This supplies 33.25 square inches of ventilation per row:

1 Row= requires a 6" minimum soffit

2 Rows = requires a 12 1/2" minimum soffit

Maximum girth before forming = 30"

Extra for Heavier Gauges: 26 gauge / 24 gauge

FLAT SHEETS

AVAILABLE SIZES		Galvalume	Galvanized	Prepainted WeatherXL™
30 Gauge	36" x 96"	•	•	•
	36" x 120"	•	•	•
28 Gauge	36" x 96"	•	•	•
	36" x 120"	•	•	•
26 Gauge	36" x 96"	•	•	•
	36" x 120"	•	•	•
	47 1/2" x 96"	•	•	•
	47 1/2" x 120"			
24 Gauge	36" x 96"	•	•	•
	36" x 120"	•	•	•
	47 1/4" x 96"	•	•	•
	47 1/4" x 120"	•	•	•
22 Gauge	36" x 96"	Please contact your Vicwest representative for prices and availability.		
	36" x 120"			
	47 1/4" x 96"			
	47 1/4" x 120"			
20 Gauge	36" x 96"	Please contact your Vicwest representative for prices and availability.		
	36" x 120"			
	47 1/4" x 96"			
	47 1/4" x 120"			

Please inquire for colour availability and for sizes otherwise not listed

COILS		Galvalume/Galvanized	Prepainted WeatherXL™
30 Gauge	36" x 30"	•	•
28 Gauge	36" x 30"	•	•

NOTE: 36" x 30' available in Central and Western Canada

NOTE: 36" x 50' available in Eastern Canada

Table of Contents

ITEM	Page Number
Accessories	3
Fasteners	1 - 2
Closures	4
Commercial Closures	6
Roll Vent	7
Snow Restraint Systems	8
Tools	10
Vented Closures	5
Ventilators	9

FASTENERS
AVAILABLE NATIONALLY

Illustration	Description		
VistaCoat™ PREMIUM SYSTEM	1/4" Hex Head, with colour matched Neoprene washer	#9 Woodgrip 1" #9 Woodgrip 1.5" #9 Woodgrip 2" #9 Woodgrip 2/5"	4000 pcs/box 3000 pcs/box 2000 pcs/box 1500 pcs/box	7.6 lbs per 1000 10.0 lbs per 1000 12.5 lbs per 1000 14.7 lbs per 1000
	Stainless Steel fasteners also available in woodgrip. Please contact your Vicwest representative			
	3/8" Hex Head, with colour matched Neoprene washer	#14 Woodgrip .75" #14 Woodgrip 1" #14 Woodgrip 1.25" #14 Woodgrip 1."5 #14 Woodgrip 2" #14 Woodgrip 2.5"	3000 pcs/box 2500 pcs/box 2000 pcs/box 2000 pcs/box 1500 pcs/box 1000 pcs/box	14.9 lbs per 1000 16.5 lbs per 1000 19.4 lbs per 1000 21.2 lbs per 1000 26.3 lbs per 1000 30.5 lbs per 1000

Illustration	Description	Illustration	Description
	Self-Tapping Nylon 7/16" hex head #14 Type AB 3/4" #14 Type AB 1.5" MUST pre-drill prior to fastening. Available with or without washer. Sold in units of 1000		Self- Drilling Nylon #14- 10 x 1" Pre-drilling NOT required Available with or without washer. Sold in units of 1000
	Self- Drilling With or without washer #12 x 1" #12 x 1.5" Pre-drilling not required. Used to fasten cladding to sub-girts.Sold in units of 1000		Lap Self- Drilling With or without Washer #14 x 7/8" Used for sidelap stitching of 26-18 ga steel panels. Sold in units of 1000

Fastening Guidelines
To ensure an even application of all sheets, do not secure all fasteners until sheet has been laid and squared. Over-torquing of fasteners can cause distortion of roofing profiles and thus make proper overlapping impossible. Under-torquing of fasteners can cause leaks and undue wear on the sheet of steel.
It is also advisable to pre-drill the metal sheets prior to fastening for both roof and wall applications.

Estimating Tip
As a general rule for estimating purposes, a minimum of 85 neoprene washer head screws are sufficient for the application of one square (100 square feet) of a Vicwest roof.

IMPORTANT: Based on the recommendation of our suppliers, all fasteners exposed to the new preservative formulations in pressure treated lumber must be stainless steel.

FASTENERS
AVAILABLE NATIONALLY

Illustration	Description	
	Prisma- Coloured Nylon Head Screws. 3/8" Hex Head Reinforced with Fiberglass, injection molded to hardened steel shank. Skirt Flange with Neoprene washer . Sold in units of 1000	#10 Prisma 1" #10 Prisma 1.5" #10 Prisma 2"
	Prisma nylon screws NO washer (illustration not shown)	#10 Prisma 1" #10 Prisma 1.5" #10 Prisma 2"
	#9 Magnetic Drive Sockets #14 Magnetic Drive Sockets	1/4" Hex Head 3/8" Hex Head 7/16" Hex Head
	Woodgrip Fasteners Available in Galvanized, Pre-painted & Stainless Steel where noted (ss)	#9 Woodgrip 1" 100 pcs/box #9 Woodgrip 1.5" (ss) 100 pcs/box
		#14 Woodgrip 1.25" 50 pcs/box #14 Woodgrip 1.25" 100 pcs/box

#12 Pancake Screws self tapping 1" self drilling 1"	#12 Truss Head Screws 3/4" 1.5"	#8 Stainless Robertson Head 3/4" stainless & white 1.25" white 1.5" white	#8 Robertson Head 3/4" (for fastening trims) Please contact Vicwest for colour availability and minimum order quantities

Not all colours of fasteners are stocked in all locations please call for colour availability and lead times.

Fastening Guidelines

To ensure an even application of all sheets, do not secure all fasteners until sheet has been laid and squared.
Over-torquing of fasteners can cause distortion of roofing profiles and thus make proper overlapping impossible.
Under-torquing of fasteners can cause leaks and undue wear on the sheet of steel.
It is also advisable to pre-drill the metal sheets prior to fastening for both roof and wall applications.

Estimating Tip

As a general rule for estimating purposes, a minimum of 85 neoprene washer head screws are sufficient for the application of one square (100 square feet) of a Vicwest roof.

IMPORTANT: Based on the recommendation of our suppliers, all fasteners exposed to the new preservative formulations in pressure treated lumber must be stainless steel.

ACCESSORIES
AVAILABLE NATIONALLY

Metal Building Tape (Sold in Rolls)	Packaging	Dimensions
For UltraVic, Weathertight, Diamond Rib WEST, Victoria, Double M, Grand Rib, Barnmaster & SuperVic	50' roll	1/16" x 1/4"
For CL 725, CL 622	50' roll	1/16" x 1/2"
For CL 435, CL 840	25' roll	1/8" x 1/4"
For End Laps	25' per roll	1/8" x 1/2"
Underlayments	**Packaging**	**Dimensions**
Vicwest Self Adhered Underlayment Peel & Stick	approx. weight/ roll 45 lbs (21 kg)	36" x 65 (91.4cm x 20.3m) 200 Sq.ft Coverage (18.58 sq. m)
Sold In Rolls (pallet pricing available)		
Vicwest Performance Synthetic Roofing Underlayment	approx. weight / roll 28 lbs (12.7 kg)	4' x 250' (121.92 cm x 7620 cm) – 1000 Sq. ft. Coverage (93 sq. m)
Vicwest Economy Synthetic Roofing Underlayment	approx. weight / roll 20 lbs (9.07 kg)	4' x 250' (121.92 cm x 7620 cm) – 1000 Sq. ft. Coverage (93 sq. m)
Dektite Combo Flashing	**Details**	**Dimensions**
	Several sizes designed to accomodate pipes from 1/4" to 19" diameter. With large base design to improve sealing on high rib metal roof sheets For retrofits apply silicone to both seam and underside. Also ensure clips are ordered for retrofits. 20 year warranty Available in Black (Grey EPDM or Red Silicone) by special order	

Pipe Flashing	Base Dimension	Pipe Dimension	Pipe Flashing	Base Dimension	Pipe Dimension
Dektite Combo #1	4.5"	1/4" to 2 1/2"	Dektite Combo #6	12"	5" to 9"
Dektite Combo #2	6"	1 3/4" to 3 1/4"	Dektite Combo #7	14"	6" to 11"
Dektite Combo #3	8"	1/4" to 5"	Dektite Combo #8	17"	7" to 13"
Dektite Combo #4	10"	3" to 7"	Dektite Combo #9	25"	9 1/2" to 20"
Dektite Combo #5	11"	4 1/4" to 7 1/2"			

Joint Sealants & Touch Up Paint	Packaging
Colour matched sealants Not all colour matches are available, call for availability. 	300 ML Tubes
Touch Up Paint- for nail heads or minor scratches. For use on small surface repairs only. Available in all standard colours	3.5 oz. cans (stocked in Eastern Canada) 8 oz. cans 16 oz. cans Touch up felt pens *FOR MATTE FINISHES ONLY*

CLOSURES
AVAILABLE NATIONALLY

FOAM CLOSURE STRIP (Suitable for closing rib openings at sheet ends)		
PROFILES	**LENGTH PER PIECE**	**WIDTH**
1″ FLAT	4′-0″	1″
1″ FLAT	4′-0″	1 1/2″
7/8″ CORRUGATED	3′-9 5/8″	3/4″
BARNMASTER	3′-4″	1″
CHANNEL WALL	3′-8 3/4″	3/4″
CL 3035	3′-4″	1″
CL 435 & CL 439	3′-4″	1″
CL 622 & CL 5022	3′-8 7/8″	1″
CL 725 & CL 6025	3′-11 1/4″	1″
CL 815/ CL 7015	2′-5 3/4″	1″
CL 840-7040	3′-11 1/4″	1″
DR-36	2′-6″	1″
DOUBLE-M	2′-7″	1″
DOUBLE-V	2′- 7″	1″
GRAND-R	3′-0″	1″
SUPERVIC	4′-2″	3/4″
ULTRAVIC	3′-0″	1″
VICTORIA	3′-8 3/4″	3/4″



ROLL RIDGE END FOAM CLOSURE

VALLEY FOAM (OPEN CELL)	1″ X 1″	10′ Length
VALLEY & HIP SEALER	3/4″ x 1″	19′ 10 1/4″ Length

VENTED CLOSURES
AVAILABLE NATIONALLY

Made from non-fabric-covered vent material features specially cut contours designed to provide a custom, low-profile fit for any pitch for most Vicwest metal roof profies.

- superior net free ventilation area that still helps keep out moisture, pests and dust.
- can be installed by just one person in two steps.
- features a screw bed and industrial strength peel and stick adhesive pre-applied
- improves ventilation, eliminates condensation, and is easy to install
- net free area varies with prole based on 19.4 square inches per linear foot of vent material
- dimensions vary based on prole
- 760 Cubic feet per minute of air permeability

PROFILES
- Elite
- Prestige
- Supervic
- Ultravic

Simply remove the peel and stick strips to apply LP2

Install material, secure the ridge cap over the LP2 with fasteners or nails

COMMERCIAL CLOSURES
Metal Building Accessories

NOTCHED METAL CLOSURE (use in combination Foam Closure)



FDESCRIPTION	LENGTH	GAUGE	GALVANIZED/ GALVALUME		PRE-PAINTED	
			FITS OVER	FITS UNDER	FITS OVER	FITS UNDER
M.C. 725-OV=6025 U	2′-11″	26	CL 725	CL 6025	CL 725	CL 6025
M.C. 6025-OV=725 U	2′-11″	26	CL 6025	CL 725	CL 6025	CL 725
M.C. 435-OV=3035 U	3′-3 3/4″	26	CL 435	CL 3035	CL 435	CL 3035
M.C. 3035-OV=435 U	3′-3 3/4″	26	CL 3035	CL 435	CL 3035	CL 435
M.C. 840-OV=7040 U	3′-0 1/2″	26	CL 840	CL 7040	CL 840	CL 7040
M.C. 7040-OV=840 U	3′-0 1/2″	26	CL 7040	CL 840	CL 7040	CL 840
M.C. 622-OV=5022 U	3′-1″	26	CL 622	CL 5022	CL 622	CL 5022
M.C. 5022-OV=622 U	3′-1″	26	CL 5022	CL 622	CL 5022	CL 622
Supervic	30″	26	SV30	_	SV30	_



ROLL VENT

Keep attics cooler in summer, dryer in winter using a recycled plastic, single-layer ridge vent. Available in rolls for use under ridge caps this non-woven, non-wicking, fiber-based modified polyester has no external fabric baffle, so dirt/snow trapping and mold build-up is greatly reduced. It helps keep out insects, dust, and moisture yet allows fresh air to be drawn in, and hot/stale air inside to be drawn out.

- Light and flexible
- Easy to handle and install (no difficulty fitting or wrapping
- Will not cause clogging or dirt and snow trapping while keeping out insects, dust and moisture
- Made from more than 90% recycled plastic
- Strong and durable
- Economical - flexibility means there's no shipping or installation crack or dent damage
- No waste - you can use every piece.

Available in Rolls
Roll dimensions: 3/4″ x 11.75″ x 20′
(includes nails)

SNOW RESTRAINT SYSTEMS

Snow Restraint Systems to hold back or retard the movement of ice and snow on metal roofs. Always consult a professional before purchasing snow restraints to ensure you have chosen a snow guard specific to your metal roof system, roof slope and local area. For more information about Snow Restraint Systems contact your local Vicwest Representative.

	SNOW STOP TUBE 1/16 X 1" X 4' Available in Galvanized and Prepainted metal
	SNOW STOP BRACKET Available in Galvanized and Prepainted metal Screws, plastic hole protectors, protective caps included. 13" height - 3-HOLE RACK ROUND SNOW STOP 10" height - 2-HOLE RACK ROUND SNOW STOP 6" height - 1-HOLE RACK ROUND SNOW STOP
	POLARBLOX 5" x 3" x 3" Available in brown, green, black or clear polycarbonate. Screws not included Available in Central only.
	SNOW STOP LYS FLOWER Available in Galvanized and Prepainted metal Screws included 2 3/4" high x 5 1/4" wide
	**SNOW STOP DIRECT ICE** Screws Included
	**SNOW GUARD 1 PIECE** 11 1/4" with 7 folds 26 ga. or heavier Not available in Oak Brown, Cocoa Brown, Orange, Dark Red, Pebble Khaki, Greyberry, Burgundy, Bamboo Ivory, Gold, Matte Finishes Available in Central only. Screws not included.
	SNOW GUARD 2 PIECE (28 ga. Prepainted Cap, 18 ga. Galvanized Base) Screws not included

VENTILATORS

Its always best to specify roof pitch when ordering. The items listed below are offered in Galvanized, Galvalume & Pre-painted unless otherwise indicated. Always inquire for lead times.

48" LOW PROFILE VENT (S-48) 283 sq in. Free Airl ntake c/w Bird Screen 16" wide x 11" high for optional damper	
ROUND VENTILATORS M-416 16" x 16" base; 12" diameter throat M-420 20" x 20" base; 16" diameter throat M-424 24" x 24" base; 18" diameter throat M-430 30" x 30" base; 24" diameter throat M-436 36" x 36" base; 30" diameter throat	
VICWEST VENTED RIDGE #1200 3 1/2" High Continuous Ridge Vent in 10 ft. sections 2 3/4" throat opening with up to 180 sq in. Free Air intake c/w Bird Screen & Splice collar up to and including 6/12 pitch. Over 6/12 and up to 10/12 Pitch. Not recommended for pitches steepr than 10/12 Keep roof sheet down 2" from centre line of ridge	
OPEN RIDGE FLASHING (C-31) "A" measurement + "B" measurement + 6" = Girth; 4 folds Refer to Custom Trim Girth Chart in Section 2	
METALWALL LOUVERS (S-46) 24" x 14" c/w Bird Screen- Requires 24 1/2" x 14 1/2" rough stud opening. Please inquire for other sizes	

EXHAUST FAN HOODS (S-50) Per combined inches (One Height plus One Width of Fan Hood size opening) Protects Fan from Wind Interference	
SINGLE LINE RIDGE Matches VICWEST VENTED RIDGE, suitable for sections of ridge where no venting is requierd. See Trim Package for Application.	
VICWEST VENTED ENDWALL For venting Lean-To-Roofs. 6" high, 3" throat opening with up to 90 sq. in. Free Air Intake c/w Bird screen, End Caps Splice Collars. Up to and including 6/12 Pitch. Steeper than 6/12 Pitch	
CUPOLA Available on request. Please call for pricing	

FOLDING TOOL (Shown Below)
Folding Tool seams are formed from two steel halves, permanently joined together. Handy sight holes assure proper depth alignment.
18F - 18" (46 cm) Folding Tool with 3/8" (9.5 mm) & 1" (25.4 mm) depths .



Folding Tool 24"

TRU-CUT SHEAR (shown above, right)
Quickest way to cut metal panels for complex roof installationas. Clean cut in seconds.

TURBOSHEAR (shown Below)
This versatile and portable TurboShear fits a drill you already own to make easy cross cuts, fast lengthwise cuts, even circles and square outlet cuts, in large or small pattern corrugated metal roofing and most other non-standing-seam metal roofing and building panels including trapezoidal box patterns.

Cutting capacity is rated for 30 to 24-Ga. (0.31 – 0.61 mm) metal roofing, stone coated metal roofing, including layered seams. Long lasting blades are also easily replaceable.

Fig 1

Fig 2

Fig 3

Fig 4

ONE HAND OPERATION
• Clamping device is standard with the TSHD TurboShear
• Fits most 14.4 volt or larger A/C or cordless drills.
• Cuts straight and to the left.
• Capable of navigating tight curved patterns and square cuts (fig. 2).
The TurboShear HD even makes angled crosscuts through profiled metal building panels and stone-coated metal shingles (fig.3.) Reposition upside down as necessary for greater maneuverability (fig. 4.)

Table of Contents

ITEM	Page Number
AgTuf Interior Liner Panels	5
Muralex 12" & 16" PVC Interlocking Liner Panels	6
Palight Trimboard	7
Palruf Corrugated PVC Sheets	3
Plasti-Lam Laminated Panels	8
Plasti-Vic	8
PVC Trims & Mouldings	9
Sunsky Polycarbonate Panels	4
Suntop Polycarbonate Sheets	2
Suntuf Corrugated Polycarbonate Sheets	1

SUNTUF CORRUGATED POLYCARBONATE SHEETS

PRODUCT OVERVIEW

SUNTUF® corrugated sheets offer high light transmission, strength, and wide service temperature range. This product is perfect for patio coverings, garden greenhouses and skylight applications. Professionals favor SUNTUF for noncorrosive industrial structural roofing and siding, while homeowners favoured SUNTUF for a multitude of DIY projects.



Suntuf Coverage 24" Shown above 24"
Colour Availability: Clear, Dark Green, Solar Grey, White Opal, Mist Green

24" Coverage sheets
24" x 96" (clear, solar grey, white, mist green only)
24" x 120" (clear, solar grey, mist green only)
24" x 144" (clear, solar grey, white, dark green, mist green only)
48" Coverage sheets (clear only)
48" x 96" 48" x 144"

Ridge Cap



Wall Connector (Endwall) ***Side Ridge (Sidewall)***



Product Specific Trims
- Ridge Cap 4' 2" lengths (not available in dark green - white availabe in Victoriaville only)
- Wall Connector (endwall) 4' 2" lengths (only available in clear - solar grey available in Victoriaville only)
- Side Ridge (sidewall) 4' 2" lengths
- Horizontal PVC Closures (6pcs) 24" long per package
- Vertical PVC Closures (6pcs) 24" long per package
- Foam Closures GRECA (5pcs) 36" long per package

SOLAR CONTROL

SUNTUF SEALANT PROCEDURES:
Suntuf sealant procedures- On roof installations, apply EPMD strips or GE 1000 caulking in beads (minimum 1/4" high) along BOTH side ridges, and in wide bands across corrugations, to bead the entire lap mating area in a sealant as shown at left. It is advisable, but optional, to apply factory approved silicone caulking over metal screws and along joint edges to prevent moisture penetration from wind driven rains.



Suntuf solar control panels reflect solar radiation which reduces heat build up under a covered area.
- 100% UV Protection
- Unbreakable
- 90% visible light transmission
- 10 year hail damage warranty
- Light is reflected without glare
- Metallic Appearance
- Limited Lifetime warranty
- 24" x 96" and 24" x 144"

Important Notes: PVC Closures must be used with this product. Woodgrips or nylon head screws are the recommended fasteners for products listed on this page. Please refer to the following page for Suntuf sealant procedures.

SUNTOP POLYCARBONATE SHEETS

PRODUCT OVERVIEW

SUNTOP® is an opaque low-density corrugated polycarbonate sheet. It combines rigidity, impact resistance and light weight with a service range spanning all enviornmental temperatures. Suntop comes in bright long-life colours and has a co-extruded UV protective layer. Suntop sheets are great for all types of roofing and cladding applications where light transmission is not required.

Standard Profile & Dimensions

Profile*	Length ft.
76/18 (Iron/Sinus)	8, 12

** Installation instructions are available upon request*

Suntop Coverage 24" Shown above
24" Colour Availability: Sedona Brick, Castle Gray, Rainforest Green

24" Coverage sheets
24" x 96"
24" x 144"

Product Specific Closures
Horizontal PVC Closures (6pcs) 24" long per package

Vertical PVC Closures (6pcs) 24" long per package

Foam Closures IRONWAVE (5pcs) 36" long per package

1.5" Neoprene washer screws are recommended for fastening.

Important Notes: PVC Closures must be used with this product. Woodgrips or nylon head screws are the recommended fasteners for products listed on this page. Please contact your local Vicwest branch for availability and lead times.

PALRUF CORRUGATED PVC SHEETS

PRODUCT OVERVIEW

PALRUF is a chemically resistant and durable covering for roofing, siding or cladding commonly used in the agri-commercial enterprises. PALRUF is extremely easy to install and maintain, and is available in a wide variety of colours. Also excellent for DIY applications.

24" Coverage sheets
24" x 96" (White, Clear, Green, Tan)
24" x 120" (White & Clear only)
24" x 144" (White, Clear, Green)

Product Specific Closures
Horizontal PVC Closures (6pcs) 24" long per package

Vertical PVC Closures (6pcs) 24" long per package

Foam Closures IRONWAVE (5pcs) 36" long per package

1.5" Neoprene washer screws are recommended for fastening.

Palruf Coverage 24" Shown above
24" Colour Availability: Green, White & Clear

PALRUF Corrugation Profile - Standard Available Dimensions

Profile* Units	Width in.
Iron 76	26

TRANSPORTATION, HANDLING AND STORAGE: Do not transport, leave or store panels in direct sun before or during installation. For outdoor storage, cover securely with a colored tarpaulin to avoid solar heat gain between the panels. Sunlight is magnified when passing through uncovered sheets increasing the temperature of the sheets which leads to degradation and distortion. Penetration of water between the sheets in storage will accentuate this heat gain. Therefore it is recommended to store the panels indoors. Panels will withstand heat when properly installed and ventilated. Store the panels stacked evenly on a horizontal flat surface with longer lengths on the bottom. Do not stack other items on top of panels. If panels are not stacked directly on floor, be sure to support evenly.

IMPORTANT: panels have been stored at temperatures below 40° F; allow panels to acclimate to room temperature before cutting.

Important Notes: PVC Closures must be used with this product. Woodgrips or nylon head screws are the recommended fasteners for products listed on this page. Please contact your local Vicwest branch for availability and lead times.

SUNSKY POLYCARBONATE PANELS

PRODUCT OVERVIEW

Used primarily for sidelites and rooflights on a multitude of farm structures, Sunsky Corrugated Polycarbonate Panels offer significant advantages over traditional fiberglass corrugated panels: up to 20 times greater impact resistance, the highest light transmission rates, the lowest yellowing index, the highest load rating, and the highest resistance to wind uplift.

Profiles/Colour	8' Lengths	10' Lengths	12' Lengths
Supervic (Clear)	N	W	N
Ultravic (Clear)	N		N
Barnmaster (Clear) Central Region	C		C
Weathertight (Clear) Western Region	W	W	W
Polycarbonate Ridge Cap (Clear) available in 10' 6" Lengths **Always check for delievery times on the products above Legend: N = National Availability; C= Central (Ont.); W= Western (BC, AB, SK, MB, NT, NU, YT); E= Eastern (QC, NS, NB, NFLD, PEI).			

TRANSPORTATION, HANDLING AND STORAGE: Do not transport, leave or store panels in direct sun before or during installation. For outdoor storage, cover securely with a colored tarpaulin to avoid solar heat gain between the panels. Sunlight is magnified when passing through uncovered sheets increasing the temperature of the sheets which leads to degradation and distortion. Penetration of water between the sheets in storage will accentuate this heat gain. Therefore it is recommended to store the panels indoors. Panels will withstand heat when properly installed and ventilated. Store the panels stacked evenly on a horizontal flat surface with longer lengths on the bottom. Do not stack other items on top of panels. If panels are not stacked directly on floor, be sure to support evenly.

IMPORTANT: panels have been stored at temperatures below 40° F; allow panels to acclimate to room temperature before cutting.

Important Notes: Important Notes: Woodgrips or nylon head screws are the recommended fasteners for products listed on this page. Please contact your local Vicwest branch for availability and lead times.

AGTUF INTERIOR LINER PANELS

PRODUCT OVERVIEW

Owners of agri-commercial and light industrial buildings will appreciate Agtuf® panels for their remarkable durability, ease of installation, and outstanding versatility. With a wide coverage of 36" these panels are high impact, rust proof, with superior scratch resistance. 10x stronger than fibreglass these lightweight panels are a breeze to handle, and require no special equipment to install. Agtuf® offers excellent resistance to chemicals, and is easy to clean using conventional pressure washing equipment.



36" Coverage sheets
8' 6" lengths
10' 2" lengths
12' 2" lengths
14' 2" lengths
16' 4" lengths
20' 4" lengths"

Product Specific Trims, Closures
All trims are 10' lengths shown at right
H Moulding, J Channel, Drip Angle, inside corner and outside corner

Prisma Coloured 1" Nylon Head Screws or stainless steel 3/4" fasteners are recommended for installing AGTUF



H MOULDING



DRIP ANGLE

J CHANNEL



INSIDE & OUTSIDE CORNER

Important Notes: AGTUF MUST BE INSTALLED at normal ambiant temperatures to allow for expansion and contraction. Please contact your local Vicwest branch for availability.

MURALEX 12" & 16" PVC INTERLOCKING LINER PANELS

PRODUCT OVERVIEW

Easy to work with and to install, Muralex by Vicwest is a 12" or 16" PVC liner panel that is perfect for the interior walls or ceilings in your agricultural, commercial or industrial buildings. The smooth, yet resistant surface is the ideal solution for applications such as: Farm storage buildings, car washes, Hog, poultry and dairy containment buildings, Chemical processing and storage facilities, warehouses or Inside of a residential garage.



12" & 16" Coverage sheets
Lengths: 8' 6", 10', 12', 16', 20'

Product Specific Closures
All trims are 10' lengths shown above H Moulding, J Channel, Drip Angle, inside corner and outside corner

#8 Metal Wood Carbon Screw .75"
(available in galvanized & white)

#8 Stainless Steel Screw
(available in .75", 1.25" and 1.5")

#12 Waffer head screw



Inside & Outside Corner	
#71720	18/box



"H" Moulding	
#71721	24/box



"J" Channel	
#71722	48/box



Drip Angle	
# 43913	60/box



Important Notes: please contact your local Vicwest branch for availability.

PALIGHT TRIMBOARD

PRODUCT OVERVIEW

Palight Trimboard is made from polyvinylchloride (PVC) which does not rot, swell or split like wood. Outside corner trim options shown on right are available in 10' lengths. Available in smooth over woodgrain finish.

Type	Size in Inches	Pieces Per Skid	Lengths in Feet
Full Sheet	1/2" x 48"	25	8', 10', 12'
Full Sheet	3/4" x 48"	15	8', 10', 12'
Available in Maritimes, Central and Western Regions.			



"Glue & screw" joints together

Important Notes: Dimensional Lumber sizes and Outside corners are available in WESTERN CANADA only. Please contact your local Vicwest branch for availability.

PLASTI-LAM LAMINATED PANELS

PRODUCT OVERVIEW

These panels consist of Plasti-Vic panels laminated to 4′ x 8′ sheet of Spruce Select or BC Fir Select Plywood. They are available laminated on one or both sides in various thicknesses of Plasti-Vic and Plywood. Stock items are laminated on one side only, in following configurations:

Sizes		
4′ x 8′	3/8″ Spruce Select	0.030″ Laminate
4′ x 8′	3/8″ Spruce Select	0.040″ Laminate
4′ x 8′	3/8″ Spruce Select	0.060″ Laminate
4′ x 8′	1/2″ Spruce Select	0.030″ Laminate
4′ x 8′	1/2″ Spruce Select	0.060″ Laminate

PLASTI-VIC

PRODUCT OVERVIEW

Plasti-Vic is a recycled polyethylene smooth finished flat sheet, made from 100% industrial and post consumer products. Off White in Colour. Sheets may be purchased individually. Lift orders are available (minimum quantities may be required) Please inquire for special colours.

Sizes		
120 panels per lift	48″ x 96″ Sheet Size	Thickness 1/8″
60 panels per lift	48″ x 96″ Sheet Size	Thickness 1/4″
30 panels per lift	48″ x 96″ Sheet Size	Thickness 1/2″

Trims: Trims can be seen on next page
Fasteners: 3/4″ Two pieces nylon drive rivet
Stainelss Robertson Head Screws #8 in following sizes 3/4″, 1.25″ and 1.5″ sold in multiples of 100
Adhesive: SICA 11FC Adhesive (Sold by the tube)Off White in Colour. Sheets may be purchased individually. Lift orders are available (minimum quantities may be required) Please inquire for special colours.

Installation Tips & Hints

#1 Screws must be loose enough to allow sheet to move. Drill sheet and back board or stud proper size for rivet; then re-drill sheet hole 1/8″ larger to allow for expansion and contraction
#2 Sheets should be installed at normal ambient termperatures to allow for expansion and contraction.
#3 Fasten 12″ on centres
#4 Never fasten directly to drywall or paneling. This material is not strong enough to support the PLASTI-VIC due to thermal expansion or contraction. Look for and fasten to the stud supporting the drywall
#5 If using a sealant always use rivets or screws on sheets 1/4″ or less
#6 Recommended sealant is SICA 11FC
#7 Surface of sheet to be glued must be lightly torched to remove surface oils prior to application of adhesive.

Important Notes: please contact your local Vicwest branch for availability.

PVC TRIMS & MOULDINGS Central & Western Region Only

PRODUCT OVERVIEW

The trims indicated below are for use with Plasti-Lam & Plasti-Vic products indicated on the previous page. All Trims are available in white in 8′ lengths. Drawings below are not to scale.

V-1 Cap for 0.090 Panel (.5"/.9" Legs)	V-3 Division Bar for 0.090 Panel (.88" Face)	V-3 WF Division Bar for 0.090 Panel (Wide Flange) (.75" Face). Also for .120" Panel	V-5 Inside Corner and Cove for 0.090 Panel (.63" Cove/.70" Leg)	V-7 Outside Corner for 0.090 Panel (.5" Legs)
V-9 Division Bar for 3/8" Panel (1" Face)	V-11 "T" Bar (1.25" Face/ .375" Leg)	V-13 Inside Corner Angle (1 1/4" x 1 1/4")	V-15 Outside Corner Angle (1 1/4" x 1 1/4")	V-17 Cap for 5/8" Panel (.4" Legs)
V-19 Cap for 3/8" Panel (.5"/.75" Legs)	V-21 Inside Corner for 3/8" or 1/2" Panel (1.12" Cove)	V-23 Outside Corner for 3/8" Panel (.75" Legs)	V-25 Batten Strip (1.5" Face)	V-29 2 Pc. Division Bar Face Mounting (1.6" Face).
V-31 Division Bar for 1/4" Panel (.88" Face)	V-33 Two-Piece Inside Corner and Cove (1.25" Cove)	V-35 Inside Corner Angle 2" x 2"	V-37 Outside Corner Angle 2" x 2"	V-39 Division Bar for 5/8" Panel (1.12" Face)
V-41 Cap for 1/2" Panel (.5"/.9" Legs)	V-43 Division Bar for 1/2" Panel (1.12" Face)	V-45 "T" Bar Dual Durometer (2" Face/.625" Leg)	V-47 2-Pc. Division Bar for 0.09" Panel (1.6" Face)	V-49 Cap for 2" Foam Panel (1" Legs)
V-51 Divider for 2" Foam Panel (2" Face)	V-53 Cap for 5/8" Panel (.75"/1.3" Legs)	V-55 2 Pc. Division Bar (1.38" Face)(3/8", 1/2" or 5/8" Panels)	V-57 2-Pc. Division Bar (1.38" Face)(3/4", 7/8" or 1" Panels)	V-59 "T" Bar Dual Durometer (1" Face/.375" Leg)
V-61 Cap for 1" Panel (.5" Legs)	V-63 Cap for 1/4" Panel (.44"/.75" Legs)	V-65 Base Cove 3"	V-67 Cap for 3/4" Panel (.375" Legs)	V-71 Cap for 1 1/2" Panel (1" Legs)
V-103 Slot Wall Insert (1.25" Face)	V-109 Cap for 1" Panel (1" Legs)	V-113 Cap for 3/8" Panel (.42" Legs)	V-115 Cap for 1/2" Panel (.42" Legs)	V-117 "T" Bar (1.5" Face/ .375" Leg)
V-119 1/4" Division Bar for Foam Panels	V-121 Inside Corner Angle 1 1/2" x 1 1/2"	V-123 Outside Corner Angle 1 1/2" x 1 1/2"	V-125 Large ISC for .090" to .125" (.75" Cove/1" Leg)	V-127 Large OSC for .090" to .125" (.625" Legs)
V-129 Division Bar for 1" Panel	V-137 Division Bar for .135" to .170" Panels (1" Face)	V-147 Cap for 3/8" Panel (.20"/90" Legs)		

Important Notes: please contact your local Vicwest branch for availability.

TRACKS, DOORS & ACCESSORIES

Table of Contents

ITEM **Page Number**

Model 650 Roll Up Doors.....1
Model 1950 & 2000 Roll Up Doors .....2 - 3
Track and Accessories .....4 - 12

Model 650 Roll Up Doors

Suitable for Mini-Storage, Sheds and other light duty applications

Central & Western Canada Only

Door Width (opening)	Door Height					
	6′-8″	7′-0″	7′-4″	8′-0″	9′-0″	10′-0″
3′-0″	X	X	X	X	X	X
3′-4″	X	X	X	X	X	X
3′-8″	X	X	X	X	X	X
4′-0″	*stock white only	X	X	X	X	X
5′-0″*	*stock white only	X	X	X	X	X
6′-0″*	*stock white only	X	X	X	X	X
8′-0″	X	X	X	X	X	X
8′-8″	X	X	X	X	X	X
9′-0″	X	X	X	X	X	X
10′-0″	X	X	X	X	X	X

* In stock for standard delivery 4′-0″ x 6′-8″, 5′-0″ x 6′-8″ & 6′-0″ x 6′-8″, Gloss White. Other sizes and colours are Special Order. Skid quantities (12 plus):

STANDARD FEATURES

- 26 gauge corrugated hot-dipped galvanized steel panels. All other components are galvanized steel.
- Curtain is pre-painted in a choice of 22 colours.
- Heavy-duty, self-adhering felt liner is applied to the interior side to reduce damage to the paint coating.
- Curtain bottom bar is a galvanized steel angle with a full width vinyl blade-type weatherstrip to ensure a weathertight seal at the bottom.
- Manual push-up operation with lift handle(s) and pull rope attached to the bottom bar for ease of operation.
- Counterbalance mechanism features oil-tempered, helically-wound torsion springs connected to a 1-1/4″ heavy wall square tube welded to an 18 gauge steel disc.
- Factory lubricated spring is pre-stretched and fully contained for safe installation.
- Guides are 18 gauge galvanized roll-formed steel channels with built-in top bell mouths for smooth curtain entry.
- Exterior operated slide bolt lock with dual padlock fittings. Special powder coating guards against rust and corrosion.
- Factory installed polypropylene edge wear strip provides quiet operation.
- Solid cast cog recessed inside door bracket provides maximum protection during adjustment. Installed on door at factory, this ensures proper location and permanent attachment.

Ratcheting Tensioning Adjuster is standard with all doors.

Accessories (please order separately)

Header Weather Strip: Black flexible PVC 8′, 12′ & 16′
Jamb Weather Strip: Aluminum Black 12′-0″ length
2″ Brush 6′0″ length

Door Size is same as Finished Opening Size (door tracks mount inside opening)
IMPORTANT NOTE: Please specifyWood, Concrete or Metal Mount when ordering. Please inquire for lead times. In some cases 4-6 weeks may be necessary.



Model 1950 & 2000 Roll Up Doors

Central & Western Canada Only

Model 1950 is economical, durable and little wise for the wear. Exterior polypropylene wearstrips reduce friction and ensure smooth quiet operation. Designed economically without sacrificing performance, power, craftsmanship or aesthetics. ** Doors with Reduced Drive Chain-hoist*

MODEL 1950				
Door Width (opening)	**Door Height**			
	8′-0″	10′-0″	12′-0″	14′-0″
8′-0″			*	*
10′-0″	*	*	*	*
12′-0″		*	*	*

Model 2000 is the smoothest operating door in the industry. Engineered for frequent use and longevity offering proven quality and tremendous value. All the features of model 1950 plus;

- Interior and exterior polypropylene wearstrip to further reduce friction
- Guides constructed from 16 ga. roll formed hot dipped galvanized steel for wood, masonary or steel mounting. (optional steel mounting plates required)
- Available in sizes up to 16′ wide and 16′ high

** Doors with Reduced Drive Chain-hoist*

MODEL 2000					
Door Width (opening)	**Door Height**				
	8′-0″	10′-0″	12′-0″	14′-0″	16′-0″
8′-0″			*	*	
10′-0″			*	*	*
12′-0″		*	*	*	*



Important Note: Please inquire for lead times.

COLOUR AVAILABILITY

AG Galvalume	Marine Green
Apple Lime Cocktail	Maroon
Bronze	Patriot Red
Cedar Red	Polar Blue
Colony Green	Royal Blue
Continential Brown	Safety Yellow
Dark Teal	Sandstone
Desert Sand	Satin White
Desert Tan	Sierra Sunset
Evergreen	Silhouette Gray
EXR Wasabi	Smart Blue
Fern Green	Sunset Orage
French Oak	Tangerine
GS Blue	Teal
GS Green	UB Yellow
High Gloss White	Ultra Marine Blue
LG (Forest) Green	Valentine Red
Light Stone	

Guide Specifications

Model 1900- Steel Jamb



Model 2000 - Steel Jamb



Model 1950 - Masonry Jamb



Model 2000 - Masonry Jamb



General Construction Common to both Models 1950 & 2000. Both models are face-mounted; refer to guide specifications above.

Model 1950 & 2000 Roll Up Doors

Central & Western Canada Only

Options for MODELS 1950 & 2000 DOORS

All Options must be ordered separately from doors

Top Header Seal - availabe in 8′, 10′ and 12′
Door Guide Seal - available in 8′, 10′, 12′, 14′ and 16′
72 tooth Sprocket for Electrically Operated Doors
1/2 HP MD-51 Jackshaft Operator

- Manual disconnect to operate the door with an included chain hoist in case of power outage.
- No Receiver for Remote Transmitter

Receiver for remote operator required for the MD-51
1/2 HP LGO Jackshaft Operator

- Manual disconnect to operate the door manually in case of power outage
- Includes Receiver for Remote Transmitter

Remote Pushbutton Transmitter
Add a Reduced Drive Chain Hoist to a manually operated door.

NOTE: Operators are CSA Approved

Example #1
Add an electric operator to a door without a chain hoist:
- add 72 Tooth sprocket
- add either the MD-51or LGO operator

If a remote transmitter is required;
- add a reciever if using the MD-51 operator (not required for the LGO operator)
- add the pushbutton transmitter

Example #2
Add an electric operator to a door with a chain hoist:
- add 72 Tooth sprocket
- add either the MD-51 or LGO operator

If a remote transmitter is required;
- add a reciever if using the MD-51 operator (not required for the LGO operator)
- add the pushbutton transmitter

Refer to image on page 2

Barrel Assembly

A- Counter balance- Springs to be factory lubricated helical wound torsion type made from oil tempered wire and factory calibrated to match site specifications.

B- Drum / Locating Collars- Factory welded to the shaft providing a positive location for mounting brackets.

C- Shaft- Heavy duty shaft is 1 5/16″ (33.34 mm) in diameter, providing superior strength and support over the entire width of the door. Sealed bearings on all shaft assemblies provide a long and durable life while limiting required maintenance.

Brackets & Guides

D- Brackets- Of structural steel angles and flat bar steel, welded together to form a solid triangular support bracket.

E- Guides- Made from galvanized steel with polypropylene strip attached to inside edge, to act as a wearstrip and to prevent steel to steel contact between the curtain and guide, allowing for longevity and quiet operation. The 1950 is the 8 gauge steel and the 2000 is the 16 gauge steel.

F- Operation- Standard operation of doors as follows;
- Up to 10′ x 10′ means of push up operation
-Over 10′ x 10′ means of 4 to 1 reduction gear drive chain hoist.

Curtain Assembly

G- Curtain- Made from 26 gauge hot dipped galvanized steel roll formed in to corrugated sheet, interlocked and seamed together to make a continous curtain for full height of door.

H- Finish Coat- Prior to roll forming, curtain is pre-treated then painted with a prime coat and top coat of medium gloss, high temperature siliconized polyester paint. Choice of 22 standard colours.

J- Polypropylene Wearstrip- Of 1″ width, stapled along both edges of the curtain, to act as a wearstrip preventing steel on steel contact between the curtain and the guide allowing for longevity and quiet operation. Model 2000 has strips attached to both exterior and interior sides of curtain.

L- Bottom Bar- Of extruded aluminum, reinforced with a steel angle and equipped with a vinyl, bulb type weatherstripping.

M- Lift Handle / Step Plate/ Inside Slide Lock- Standard on all models

TRACK AND ACCESSORIES

Vicwest's 650 lbs. capacity round track will provide years of smooth, easy gliding operation. The self- cleaning design and corrosion-resistant 14 ga. galvanized construction features are available in 3 track styles:
1) slotted with a full keyway
2) factory-mounted brackets for top mounting
3) with factory mounted backets for face mounting
Slots or brackets are positioned on the track 12" from the end at 24" centres. In addition to offering track sections with factory- mounted brackets; the slot mounted track has been engineered to give the keyway slots two-way movement options, allowing for easy "knock-on" application in the field. Knock all the brackets in the same direction (left or right) except the last bracket, where the direction is reversed to make a positive lock.

		**Round Track Slot Mount RSM** Brackets sold separately for single and double track runs. 14 Gauge Galvanized Available Lengths 8 ft, 10 ft, 12 ft, 16 ft, 20 ft, 24 ft
		**Round Track Face Mount RFM** Factory attached brackets 14 Gauge Galvanized Available Lengths 8 ft, 10 ft, 12 ft, 16 ft, 20 ft, 24 ft
	14 Gauge Galvanized Please inquire for available lengths (or use Slot Mount Track with Top Mount Backets)	**Round Track Top Mount 180° (RTM)**

TRACK AND ACCESSORIES

FOR USE WITH Round Track	FOR USE WITH Square Track	Brackets for use with Slot Mount Track	
✓			**Top Mount Bracket (#RTMBW) 44437** This slide-on bracket top mounts slotted track
✓			**Face Mount Bracket (#RFMBW) 44438** This slide-on bracket face mounts slotted track
✓			**Round Double Track Bracket (#RDTBR)** 23528 For mounting slotted track only in a double track application
✓			**Round Double Track Bracket with Cover Bracket (#RDTBRCB)** 44485 For mounting slotted track and double track cover in a double track application
✓			**Round Track Trolley 90° (#RTRBR)** Complete package (pair) For doors up to 400 lbs **Round Track Trolley 90° with Bearings & Steel Wheels (#RTRBRBBS)** Complete package (pair) For doors up to 400 lbs

TRACK AND ACCESSORIES

FOR USE WITH		Brackets for use with Slot Mount Track	
Round Track	Square Track		
✓			**Round Track Trolley 4" Straight Bolt (#RTR4B)** Complete package (pair). For doors up to 400 lbs
✓			**Round Track Trolley Pendant (#RTROB)** Including off set pendent bolt. Complete package (pair) For doors up to 400 lbs
✓			**Double Track Trolley Hanger** Complete package includes pendent bolts (pair) For doores up to 800 lbs
✓			**Round Track Trolley Pendant with Bearings (#RTROBB)** Including off set pendent bolt. Complete package (pair) For doors up to 400 lbs
✓			**Round Track Trolley Pendant with Bearings & Steel Wheels (#RTROBBS)** Including offset pendant bolt & complete package (pair) For doors up to 400 lbs

TRACK AND ACCESSORIES

FOR USE WITH		Brackets for use with Slot Mount Track	
Round Track	Square Track		
✓			**Round Track Splice Collar (#RTSCW)**
✓			**Interlocking Cover Bracket (#ILBW)** Patented
✓			**Round Track End Caps (#RENCA)** Includes nut and bolt
✓	✓		**Cane Bolt** Heavy duty deluxe Cane Bolt. Zinc plated 5/8" diameter rod 24" long Fancy Mounting Brackets and screws included
✓	✓		**Door Stop/ Guide Post (#DOST)** 23529 For single doors from 1 1/2" - 4 3/4" Insalls with nails or scews (not included)
✓	✓		**Reversible Stay Roller (#STRO) 23530** Four-way adjustability, adjusts for 1/4" - 3 1/4" doors. Installs with nails or screws (not included)

TRACK AND ACCESSORIES

FOR USE WITH		Brackets for use with Slot Mount Track	
Round Track	Square Track		
✓	✓		**Door Guide/ Stop (#DOGU) 24134** Ajustable door guide adjusts for 2 1/4" - 6" doors. Primarily used on double by-passing doors for guide or stop. Installs with nails or screws (not included)
✓	✓		**Cam Latch (#CALA) 23533** Ajustable cam action- sold individually. Installs with nails or screws (not included)
✓	✓		**Slide Latch (#SLLA) 24113** Reverse unit for right or left hand installation Installs with nails or screws (not included)
✓	✓		**Door Pull (#DOPU)** Galvanized 24137 (#DOPUW) White 24139 Dimensions 6 5/8" x 1 1/4" Installs with screws or nails (not included)
✓	✓		**Door Snugger 11251**
✓	✓		**Heavy Duty Door Latch 25697**

TRACK AND ACCESSORIES

	**Square Track** Versatile and popular. Use with any bracket shown on the following pages. Space brackets 24" on centre. Track is 16 ga. galvanized steel. 16 Gauge Galvanized Available Lengths 6 ft, 8 ft, 10 ft, 12 ft, 16 ft, 20 ft, 24 ft
	**Face Mount Square Track** Face mount to track girt with 5/16" lag screws or bolts. Mounting brackets are mechanically attached 4" from each end and 24" on centre. 16 Gauge Galvanized Available Lengths 6 ft, 8 ft, 10 ft, 12 ft, 16 ft, 20 ft, 24 ft
	**Top Mount Square Track** Attach to 1 1/2"track girt with 5/16" lag screws or bolts. Mounting brackets are mechanically attached 4" from each end and 24" on centre. 16 Gauge Galvanized Available Lengths 6 ft, 8 ft, 10 ft, 12 ft, 16 ft, 20 ft, 24 ft

TRACK AND ACCESSORIES

FOR USE WITH		Brackets for use with Slot Mount Track	
Round Track	Square Track		
	✓		**Square Track End Caps (#ENCA)** 24149 In pairs
	✓		**Single Track Bracket (#STBR) 24180** Fasteners not included
	✓		**Square Track Flashing Bracket (#STFB)** 44436 Flashing brackets may be nailed over track to provide support for a Square Track Cover
	✓		**Square Track Trolley 90° Angle Bracket (#TRBR)** 24184 (pair) Rating: 400 lbs per pair Also available with ball bearings
	✓		**Square Track Trolley (#TRPL)** 24188 (pair) Hardware is not included

TRACK AND ACCESSORIES

FOR USE WITH		Brackets for use with Slot Mount Track	
Round Track	Square Track		
	✓		**Square Track Trolley Hinged Bracket (#TRHB)** 26206 (pair) Fasteners are not included
	✓		**Square Track Trolley (#TROB)** 24187 (pair) Including 9° offset pendant bolt Rating: 400 lbs per pair Also available with ball bearings
	✓		**Single Track Splice (#STSP)** 24182 sold in units Fasteners not included
	✓		**Single Adjustable Track Bracket (#ASBR)** 24083 sold in units Fasteners not included
	✓		**Single Adjustable Splice (#ASSP)** 24084 sold in units Fasteners not included

FOR USE WITH		Brackets for use with Slot Mount Track	
Round Track	Square Track		
	✓		**Double Track Bracket (#DTBR)** 24147 sold in units Fasteners not included
	✓		**Double Track Splice (#DTSP)** 24148 sold in units Fasteners not included
✓	✓		**Guide Rail (#64)** Fabricated from 16 ga. galvanized steel and mounts using #60 Guide Rail Brackets. Engages bottom door guide to hold door in place and prevent wind damage. Sold per pc. Stock 6′ and 10′ Please inquire for 4′ * Available in Western Canada only
✓	✓		**Guide Rail Bracket (#60**) For use with #64 Rail Guide Slotted hole in each leg allows vertical and lateral adjustment. Bolts & nuts included. Sold per pc. Stock * Available in Western Canada only

Table of Contents

ITEM **Page Number**

Drywall Corner Bead & Trims....3
Drywall Framing & Fasteners....4
Light Gauge Framing....2
Suspended Ceiling System....5
U-Flex Track....1

STEEL STUD & ACCESSORIES
U-FLEX TRACK

Product Overview:

U-Flex Track is a steel component designed for use in the construction industry to facilitate the framing of curved walls, arches, ceilings, columns etc. The material is flexible in both horizontal and vertical planes and adapts easily to both regular and compound curves.



Available sizes:

3 5/8" flex track	V074428	8' lengths	10 pcs per bundle

* Non stock item - special order.

STEEL STUD & ACCESSORIES
LIGHT GAUGE FRAMING

Product	Dimensions	8′	10′	12′	14′	Pcs per Bundle	Weight MLF
STUD	1 5/8″ (41mm) x .018	V026041	V026042			10	265
	2 1/2″ (64mm) x .018	V026038	V026039	V027125	V075455	10	340
	3 5/8″ (92 mm) x .018	V026002	V026023	V026061	V043344	10	420
	6″ (152mm) x .018	V027137	V027072	V047472		10	600
TRACK	1 5/8″ (41mm) x .018		V026043			10	265
	2 1/2″ (64mm) x .018		V026040			10	310
	3 5/8″ (92 mm) x .018		V026003			10	375
	6″ (152mm) x .018		V027089			10	580
COLD ROLLED CHANNELS	3/4″ (18 ga.)			V027199		10	* Non stock
	1 1/2″ (18 ga.)			V026062		10	
						COLD ROLLED CHANNEL used to laterally brace studs and furring walls.	
Resilient Channel D1007				V026047		Pcs Per Bundle: 15	
						RESILIENT CHANNEL is a low cost system to reduce sound transmission through walls and ceiling. Wall Installation: Attach RESILIENT CHANNEL at right angle to wall framing, 2″ up from floor and 6″ down from ceiling at no morethan 24″ centres. Splice channels over framing and fasten through both flanges.	

NOTE: Steel Studs are stocked in 8′, and 10′ lengths in Central; please inquire for other stud lengths not listed.
Track is stocked in 10′ lengths in Central; please inquire for other track lengths not listed.

STEEL STUD & ACCESSORIES
DRYWALL CORNER BEAD & TRIMS

1 1/4″ x 1 1/4″ - 90° CORNER BEAD D100

7′ V026060
8′ V025922
9′ V029801
10′ V025923
12′ V029512



DRYWALL CORNER BEAD provides protection of external corner. Made of satin-coated steel. Holes and knurled surface allow proper adhesion of drywall compound.
Available Lengths: 7′, 8′, 9′, 10′, 12′.
Carton Quantity: 25 pcs. per carton

1 1/4″ x 1 1/4″ - 135° CORNER BEAD D100



Provides protection for 130° wide external corners.
Available Lengths: 8′ (V076205) and 10′ (V076203)
Carton Quantity: 25 pcs.
Flange Width: 1 1/4″ (both sides).

METAL J-TRIM D400



1/2″ x 10′ V026015
5/8″ x 10′ V026016

Provides edge protection at window and door openings.
Available Lengths: 10′.
Carton Quantity: 50 pcs.

ANGLE TRIM 1″ x 2″ D700



Framing trim used for bulk heads or column framing.
Available Lengths: 10′ (V026034)
Carton Quantity: 10 pcs.

DRYWALL FURRING CHANNEL D1001



(25ga.) V026205

A versatile channel used to provide a level surface.
Ideal for drywall ceilings.
Available in 25, 20 and 18 gauge.
Carton Quantity: 10 pcs.

METAL TRIM #4411



1/2″ x 10′ V031207

This is a strong u-shaped channel type casing that provides maximum protection and neat finished edges.
Available Length: 10′.
Package Quantity: 50 pcs.
Non-stock item available on request.

METAL TRIM D200



1/2″ x 10′ V026037
5/8″ x 10′ V026018

This trim has an "L" shaped edge with an installed appearance of #4411 trim.
Elimination of back flange simplifies installation.
Package Quantity: 10′ - 50 pcs.

STEEL STUD & ACCESSORIES
DRYWALL & FRAMING FASTENERS

SCREWS		*All screws special order except 7/16 speed tec
BULK PACKAGED DRYWALL SCREWS		**QTY/CTN**
7/16" SPEED TEC	V029117	15,000
1 1/4" SPEED TEC	V029122	8,000
1 7/8" SPEED TEC	V076262	4,000

** Please call to inquiry for availability and lead times on all SPEED TEC Screws

OTHER SCREWS & NAILS		QTY/CTN
9/16" Wafer Head	V029800	3,000

GALVANIZED DIAMOND METAL LATH & ACCESSORIES		PCS/BDL
1.75 lb. GALVANIZED DIAMOND METAL LATH	V029099	10
2.50 lb. GALVANIZED DIAMOND METAL LATH	V028695	10

NOTE: Lath is stapled 10 sheets per bundle. Each sheet is approximately 27" x 96".
50 bundles of Lath per skid.

ACCESSORIES		
BUTT JOINT DISCS	V029104	500/ctn

SUSPENDED CEILING SYSTEM

FIRE RATED TEE BAR (TILE WHITE)			
ULC Listed LANCE-LOCK Tee Bar 15/16			**PCS/CTN**
BEF144	V029060	Main Tee	20
BEF48	V029069	Cross Tee	60
BEF24	V029070	Cross Tee	60

WALL MOULDING			
BM5	V029064		40

ACCESSORIES	WEIGHT/BDL	PCS/BDL
C & S Tie Wire 18 ga. Galvanized 27"	25	1,700
12 ga. Galvanized Wire 12'	50	145
9 ga. Galvanized Wire 12' - *Special Order*	50	75
3/16" Pencil Rod 12' - *Special Order*	50	50
3" Flattened Eye Lag		200 Pcs/ctn
Eye Lag Drill Adaptors		

WIND BRACE

V025919
20 Pieces per bundle
11' 3" lengths
Windbracing used for diagonal bracing of wood stud walls.